Index

Orig. Art. Original Article *Clin. Rec.* Clinical Record

AUTHORS

Abdel-Baki, F., Moghazi, H., Eassa, A. and Talaat, F. Peripheral nerve involvement in acute Bell's palsy. *Clin. Rec.*, 447
Abdu, M. H. and Feghali, J. G. Uvulopalatopharyngoplasty in a child with obstructive sleep apnoea. *Clin. Rec.*, 546
Abdul-Rasool, I. H. and Wackym, P. A. Prospective management of malignant hyperthermia in the otolaryngological patient. *Orig. Art.*, 513
Ahmed, G. M. S. and Deb Nath, D. K. Ceruminous gland tumour. *Clin. Rec.*, 346
Aitsalo, K. and Puhakka, H. J. Oesophageal carcinoma: endoscopic and clinical findings in 258 patients. *Orig. Art.*, 1137
Aker Gunes, H., Almac, A. and Canbay, E. Cholesterol granuloma of the maxillary antrum. *Clin. Rec.*, 630
Akosa, A. B., Ali, M. H. and Hanna, G. S. Vascular leiomyoma of the inferior turbinate. *Clin. Rec.*, 1159
Akosa, A. B., Maher, E. J., Hanna, G. S. and Ali, M. H. Merkel-cell carcinoma of the pinna. *Clin. Rec.*, 608
Al Khalifa, S., Sharma, R. K., Shenoy, P. and Paulose, K. O. Odontogenic keratocyst involving the maxillary antrum. *Clin. Rec.*, 1168
Al Khalifa, S., Shenoy, P. K., Harris, S., Sharma, R. K. and Paulose, K. O. Osteopetrosis (marble bone disease)—agenesis of paranasal sinuses. *Clin. Rec.*, 1047
Albera, R., Pia, F., Bussi, M., Lucisano, S. and Mortara, P. Otoneurological aspects of pontine hematoma. *Clin. Rec.*, 453
Albizzati, C. and Ramesar, K. Laryngeal cysts: clinical relevance of a modified working classification. *Orig. Art.*, 923
Albizzati, C., Ramesar, K. C. R. B. and Davis, B. C. Plasma cell granuloma of the larynx. *Clin. Rec.*, 187
Ali, M. H., Akosa, A. B., Maher, E. J. and Hanna, G. S. Merkel-cell carcinoma of the pinna. *Clin. Rec.*, 608
Ali, M. H., Hanna, G. S. and Akosa, A. B. Vascular leiomyoma of the inferior turbinate. *Clin. Rec.*, 1159
Al-Jassim, A. H. H. The use of Walkman mini-stereo system as a tinnitus masker. *Orig. Art.*, 27
Al-Khalifa, S., Paulose, K. O., Shenoy, P. and Sharma, R. K. Haemangiopericytoma of the nasal septum. *Clin. Rec.*, 1161
Al-Lozi, M. T. A.-L., Jamal, M. N. and Samara, N. S. Moebius' syndrome. *Clin. Rec.*, 350
Allen, C., Buckley, J. G. and Hinton, A. Kikuchi's disease—Apparent malignancy of a neck mass. *Clin. Rec.*, 941
Almac, A., Canbay, E. and Aker Gunes, H. Cholesterol granuloma of the maxillary antrum. *Clin. Rec.*, 630
Anavi, Y., Har-El, G. and Mintz, S. The treatment of facial haemangioma by percutaneous injections of sodium tetradecyl sulfate. *Clin. Rec.*, 87
Andreassen, U. K., Ankjaergaard, O. and Lawaetz, K. D. Atypical histiocytic granuloma with eosinophilia. *Clin. Rec.*, 543
Andreassen, U. K. and Arndal, H. Acute epiglottitis in children and adults. Nasotracheal intubation, tracheostomy or careful observation? Current status in Scandinavia. *Orig. Art.*, 1012
Anim, J. T., Baraka, M. E. and Dawlatly, E. E. Local iatrogenic complications in nasopharyngeal rhinoscleroma. *Orig. Art.*, 1115
Anim, J. T., El-Hassan, A. Y. and Dawlatly, E. E. Angiomyolipoma of the nasal cavity. *Clin. Rec.*, 1156
Ankjaergaard, O., Lawaetz, K. D. and Andreassen, U. K. Atypical histiocytic granuloma with eosinophilia. *Clin. Rec.*, 543
Arndal, H. and Andreassen, U. K. Acute epiglottitis in children and adults. Nasotracheal intubation, tracheostomy or careful observation? Current status in Scandinavia. *Orig. Art.*, 1012
Arndal, H. and Bomholt, A. Middle-ear damage caused by a defective portable headphone. *Clin. Rec.*, 715
Arnold, W. and Friedmann, I. Otosclerosis—an inflammatory disease of the otic capsule of viral aetiology. *Orig. Art.*, 865
Azhar, T., Symonds, R. P., Evans, R. A. and Liu, K. C. Assessment of permanent hearing impairment following radical megavoltage radiotherapy. *Orig. Art.*, 588

Babu, S. and Samuel, P. The effect of inhaled steroids on the upper respiratory tract. *Orig. Art.*, 592
Baer, S. T., Coulson, I. H. and Elliman, D. Anhidrotic ectodermal dysplasia: an ENT presentation in infancy. *Clin. Rec.*, 458
Baer, S. T., Drysdale, A. and Moore-Gillon, V. Giant radicular cyst in the maxillary antrum presenting with chronic epiphora. *Clin. Rec.*, 365
Bagger-Sjöbäck, D., Barbara, M. and Rask-Anderson, H. The surface morphology of the endolymphatic sac of the Mongolian gerbil (Meriones unguiculatus). *Orig. Art.*, 308
Bagger-Sjöbäck, D., Rask-Anderson, H. and Takumida, M. Ruthenium red staining of the endolymphatic sac in the guinea pig. *Orig. Art.*, 760
Bahadur, S., Kacker, S. K., Goulatia, R. K. and Tandon, D. A. Nasopharyngeal angiofibroma. *Orig. Art.*, 805
Bailey, C. M. and Morrison, G. A. J. Relapsing malignant otitis externa successfuly treated with ciprofloxacin. *Orig. Art.*, 872
Bailey, C. M., Evans, J. N. G., Kearns, D. B., Wickstead, M., Choa, D. I. and Leitch, R. N. Computed tomography in choanal atresia. *Orig. Art.*, 414
Bailey, C. M., Preece, J. M., Kearns, D. B., Wickersham, J. K. and Grace, A. R. Nasal lipoma. *Clin. Rec.*, 1044
Baker, J. R., Batsakis, J. G., Ordonez, N. G. and Sevidal, P. A. Osteoclast-type giant cell neoplasms of the parotid gland. *Orig. Art.*, 901
Banerjee, A. K., Mann, S. B. S., Garge, K., Nehru, V. I., Dubey, S. P. and Mehra, Y. N. Nasal involvement in systemic amyloidosis. *Clin. Rec.*, 1153
Banerjee, A., Subba Rao, K. S. V. K., Khanna, S. K., Narayanan, P. S., Gupta, B. K., Sekar, J. C., Rajarathinan, C. and Nachiappan, M. Laryngo-tracheo-bronchial foreign bodies in children. *Orig. Art.*, 1029
Baraka, M. E., Dawlatly, E. E. and Anim, J. T. Local iatrogenic complications in nasopharyngeal rhinoscleroma. *Orig. Art.*, 1115
Barbara, M., Rask-Anderson, H. and Bagger-Sjöbäck, D. The surface morphology of the endolymphatic sac of the Mongolian gerbil (Meriones unguiculatus). *Orig. Art.*, 308
Bark-Jones, N., Willatt, D. J., Durham, L. and Ramadan, M. F. A prospective randomized trial of suture material in aural wound closure. *Orig. Art.*, 788
Barnard, D. and Ling, J. Mandibular pathology presenting as a parotid tumour. *Orig. Art.*, 896
Barr, G. S. and Osborne, J. Weight gain in children following tonsillectomy. *Orig. Art.*, 595
Barr, G. S., Osborne, J. and Simpson, J. R. M. Late response of verrucous carcinoma of the larynx to radiotherapy. *Clin. Rec.*, 276
Bartal, N. An improved stent for use in the surgical management of congenital posterior choanal atresia. *Orig. Art.*, 146
Barton, R. P. E. and Wickham, M. H. Nasal regurgitation as the presenting symptom of rhinolithiasis. *Clin. Rec.*, 59
Barton, R. P. E., Forrest, A. W. and Wickham, M. H. Use of the fibreoptic laryngoscope in pharyngeal pouch surgery. *Orig. Art.*, 328

Baser, B. and Pradhan, K. A. Bipedal myocutaneous flap for one-stage reconstruction of the cheek after cancer surgery. *Orig. Art.*, 601
Basu, M. K., Frame, J. W. and Rhys Evans, P. H. Wound healing following partial glossectomy using the CO_2 laser, diathermy and scalpel. *Orig. Art.*, 322
Batch, A. J. G. Globus pharyngeus: (Part II), Discussion. *Orig. Art.*, 227
Batch, A. J. G. Globus pharyngeus. *Orig. Art.*, 152
Bates, G. J. and Curley, J. W. A. Rationalization of peritonsillar abscess as an indication for tonsillectomy. *Orig. Art.*, 37
Bates, G. J. E. M. and Herdman, R. C. D. Chondrosarcoma of the sphenoid. *Clin. Rec.*, 727
Batsakis, J. G., Hawkins, R. A., Doble II, H. P. and Sneige, N. Pseudoparasitic (Liesegang) bodies in paranasal sinus. *Clin. Rec.*, 730
Batsakis, J. G., Kessler, S. and El-Naggar, A. Benign metastatic mixed tumours or unrecognized salivary carcinomas? *Orig. Art.*, 810
Batsakis, J. G., Mackay, B., Ryka, A. F. and Seifert, R. W. Perinatal salivary gland tumours (Embryomas). *Orig. Art.*, 1007
Batsakis, J. G., Ordonez, N. G., Sevidal, P. A. and Baker, J. R. Osteoclast-type giant cell neoplasms of the parotid gland. *Orig. Art.*, 901
Beckingham, E., Jones, A. S., Wright, R. G. and Stevens, J. C. The nasal valve: A physiological and clinical study. *Orig. Art.*, 1089
Beckingham, E., Wight, R. G. and Jones, A. S. Radical trimming of the inferior turbinates and its effect on nasal resistance to airflow. *Orig. Art.*, 694
Bellini, M. J., Peel, R. N. and Terry, R. M. Chlamydia: Its influence in chronic secretory otitis media. *Orig. Art.*, 673
Ben Arieh, Y. and Joachims, H. Z. Basal cell carcinoma of the middle-ear—a natural history. *Clin. Rec.*, 932
Bende, M. and Holmberg, K. Influence of topical phenylpropanolamine on tachyphylaxis and mucociliary clearance in the human nose. *Orig. Art.*, 408
Bende, M., Löth, S. and Löth, A. Nasal mucosal blood flow in patients with diabetes mellitus. *Orig. Art.*, 791
Benitez, J. P. Otopathology of Egyptian mummy Pum II. *Orig. Art.*, 485
Benjamin, B. and Parsons, D. S. Recurrent respiratory papillomatasis. *Orig. Art.*, 1022
Bergmann, L., Szepesi, S., Ilberg, C. V., Klima, A. and Klippstein, T. Adjuvant chemotherapy in stage III and IV squamous cell carcinoma of the head and neck. *Orig. Art.*, 337
Berkovits, R. N. P., Knegt-Junk, K. J. and Bos, C. E. Congenital nasal stenosis in neonates. *Orig. Art.*, 500
Bhambhani, S., Raju, G., Kakar, P. K., Das, D. K. and Dhingra, P. L. Role of fine needle aspiration biopsy in head and teck tumours. *Orig. Art.*, 248
Bhandwaj, B. K. and Kacker, S. K. Revision stapes surgery. *Orig. Art.*, 20
Bhani, T. S., Mathai, R., Raghaven, R. and Job, A. Pseudocyst of the auricle. *Clin. Rec.*, 344
Bhargava, D. K., Tandon, D. A., Ghosh, P. and Tickoo, S. K. Gardner's syndrome presenting with proptosis. *Clin. Rec.*, 1036
Bhargava, K. B., Juvekar, R. V., Gadre, A. K., Savant, R. and Gadre, K. C. Reopening of the closed nostril in atrophic rhinitis. *Orig. Art.*, 411
Bhargava, K. B., Shirali, G. N., Savant, R. A. and Uppal, P. K. Toothbrush: an unusual foreign body in ENT practice. *Clin. Rec.*, 1068
Bickerton, R. C. and Brockbank, M. J. Lymphoplasmacytic lymphoma of the larynx, soft palate and nasal cavity. *Clin. Rec.*, 468
Bingham, B. and Hawthorne, M. The use of anaesthetic EMLA cream in minor otological surgery. *Clin. Rec.*, 517
Biondi, G., Pacini, P., Gulisano, M. and Polli, G. Study of the nasopharynx in man by scanning electron microscopy. *Orig. Art.*, 1102
Biörklund, A., Hansson, L.-G. and Johansen, C. C. CT sialography and conventional sialography in the evaluation of parotid gland neoplasms. *Orig. Art.*, 163
Blair, R. L. and Ruckley, R. W. Thermal myringotomy. *Orig. Art.*, 125
Blair, R. L., Christmas, H. E., McKenzie, H. and Osborne, J. E. Actinomycosis of the nasopharynx: a complication of nasal surgery. *Clin. Rec.*, 639
Bleach, N. R., Stanworth, P. A. and Stansbie, J. M. Spontaneous cerebrospinal fluid rhinorrhoea. *Clin. Rec.*, 633
Blumgart, R. and Solomons, N. B. Severe late-onset epistaxis following Le Fort I osteotomy: angiographic localization and embolization. *Clin. Rec.*, 260
Bomholt, A. and Arndal, H. Middle-ear damage caused by a defective portable headphone. *Clin. Rec.*, 715
Borah, K. and Zaman, K. Myringoplasty with three meatal flaps. *Orig. Art.*, 777
Bos, C. E., Berkovits, R. N. P. and Knegt-Junk, K. J. Congenital nasal stenosis in neonates. *Orig. Art.*, 500
Boss, J., Gertner, R., Podoshin, L., Fradis, M. and Misselevitch, I. Liposarcoma of the larynx. *Clin. Rec.*, 838
Boysen, M. Y., Scott, H., Hovig, T., Wetteland, J. and Kolbenstvedt, A. Rhabdomyoma of the tongue. *Clin. Rec.*, 1185
Bradley, C., McClymont, L. G. and Reid, R. Osteogenic sarcoma of the ethmoid sinus. *Clin. Rec.*, 1176
Bradley, P. J., Narula, A. A., Padfield, C. J., Morgan, D. A. L. and MacLennan, K. A. NED survival in head and neck cancer. *Clin. Rec.*, 194
Brain, D. J. The Indian contribution to rhinoplasty. *Orig. Art.*, 689
Brandrick, J. T., Das Gupta, A. R. and Singh, R. Jugulotympanic paraganglioma (Glomus jugulare tumour) presenting as a parotid neoplasm. *Clin. Rec.*, 741
Breach, N. M., Choudhury, C. R., McLean, N. R. and Harrop-Griffiths, K. The repair of defects in the head and neck region with the latissimus dorsi myocutaneous flap. *Orig. Art.*, 1127
Bridger, M. and Violaris, N. S. The use of sputum-trap in the collection of antral washout specimen during antroscopy. *Clin. Rec.*, 540
Brockbank, M. J. and Bickerton, R. C. Lymphoplasmacytic lymphoma of the larynx, soft palate and nasal cavity. *Clin. Rec.*, 468
Brooker, D. S. Laryngeal stridor due to odontoid peg subluxation. *Clin. Rec.*, 473
Brookes, J. D., Gatland, D. J. and Keene, M. H. Cricoid necrosis in laryngeal rheumatoid arthritis. *Clin. Rec.*, 271
Brookes, J., Youngs, R. P. and Gatland, D. Swallowed radiolucent dental prosthesis. *Clin. Rec.*, 71
Brough, M. D., East, C. A. and Stewart Flemming, A. F. Tracheostomal reconstruction using a fenestrated deltopectoral skin flap. *Clin. Rec.*, 282
Browning, G. G., Gatehouse, S. and Calder, I. T. Medical management of active chronic otitis media. *Orig. Art.*, 491
Buchanan, G. and Rainer, E. H. Tuberculous mastoiditis. *Clin. Rec.*, 440
Buckley, G. and Hinton, A. E. Parental smoking and middle ear effusions in children. *Orig. Art.*, 992
Buckley, J. G., Hinton, A. and Allen, C. Kikuchi's disease—Apparent malignancy of a neck mass. *Clin. Rec.*, 941
Buckley, J. G., Hinton, A. E., Penter, G. and Farndon, P. A. Total laryngotracheal hypoplasia in a case of G syndrome. *Clin. Rec.*, 1056
Buller, N., Shvili, Y., Laurian, N., Laurian, L. and Zohar, Y. Delayed brainstem auditory evoked responses in diabetic patients. *Orig. Art.*, 857
Bussi, M., Lucisano, S., Mortara, P., Albera, R. and Pia, F. Otoneurological aspects of pontine hematoma. *Clin. Rec.*, 453
Bussolati, G., Cortesina, G., Cavallo, G. P., Macario, M., Poggio, E., Cerrato, M. and Prat, M. Monoclonal antibodies against epithelial antigens in laryngeal carcinomas. *Orig. Art.*, 709

Cable, H. R. and Smith, M. C. F. Correlation of the sinoscopic appearance of the maxillary antrum with histological and bacteriological findings. *Orig. Art.*, 1086
Calabrese, V., Mazzoni, A. and Pareschi, R. Intratemporal vascular tumours. *Clin. Rec.*, 353
Calder, I. T., Browning, G. G. and Gatehouse, S. Medical management of active chronic otitis media. *Orig. Art.*, 491

Campbell, J. B., Crocker, J. and Shenoi, P. M. S-100 protein localization in minor salivary gland tumours: an aid to diagnosis. *Orig. Art.*, 905
Campbell, J. B., Hunter, J., McIlwain, J. C., Toner, J. G., Stewart, T. J. and Kwok, O. The flora of the tonsil and post-operative fossa in adult tonsillectomy patients. *Orig. Art.*, 598
Campbell, J. B., Wake, M. and Pearman, K. Spontaneous perforation of the pharynx/oesophagus. *Clin. Rec.*, 549
Campbell, J. B., Watson, M. G., Povey, L. and Shenoi, P. M. Minitracheotomy and laryngeal function. *Orig. Art.*, 49
Canbay, E., Aker Gunes, H. and Almac, A. Cholesterol granuloma of the maxillary antrum. *Clin. Rec.*, 630
Canter, R. J., Megarry, S., Pett, A., Scarlett, A., Teh, W. and Zeigler, E. The activity against yeasts of human cerumen. *Orig. Art.*, 671
Cantrel, G., Rosen, G. and Kedar, A. Rhabdomyosarcoma of the trachea. *Clin. Rec.*, 735
Canty, P., Williamson, I. G. and Timms, M. A new cryoprobe with advantages in turbinate freezing. *Orig. Art.*, 503
Carlin, W. V., Thomas, P. L. and John, D. G. The effect of inferior turbinate outfracture on nasal resistance to airflow in vasomotor rhinitis assessed by rhinomanometry. *Orig. Art.*, 144
Carr, R. J. and von Arx, D. Displaced tooth mimicking a tonsillolith. *Clin. Rec.*, 652
Carruth, J. A. S. and Williams, S. R. The role of the carbon dioxide laser in treatment of carcinoma of the tongue. *Orig. Art.*, 1122
Carulla, M., Sabater, F., Mensa, J., Doménech, J. and Loncá, M. Necrotizing external otitis treated with ciprofloxacin. *Clin. Rec.*, 606
Cassidy, M., McMullin, J. P. and Gleeson, M. J. Castleman's disease—an unusual neck mass. *Clin. Rec.*, 661
Cavallo, G. P., Macario, M., Poggio, E., Cerrato, M., Prat, M., Bussolati, G. and Cortesina, G. Monoclonal antibodies against epithelial antigens in laryngeal carcinomas. *Orig. Art.*, 709
Cerrato, M., Prat, M., Bussolati, G., Cortesina, G., Cavallo, G. P., Macario, M. and Poggio, E. Monoclonal antibodies against epithelial antigens in laryngeal carcinomas. *Orig. Art.*, 709
Chan, X., Med, M. and Xie, Y. Nasopharyngeal carcinoma complicated by pseudohypertrophic osteoarthropathy. *Clin. Rec.*, 184
Chang, R. W. S. and Younos, M. Chyle fistulae. *Clin. Rec.*, 384
Charachon, R. Surgery of cholesteatoma in children. *Orig. Art.*, 680
Chatterji, P., Chaudhuri, J. N. and Khatri, B. B. Plasmacytoma of the nose with intracranial extension. *Clin. Rec.*, 538
Chaudhary, C., Misra, N. K., Tandon, D. A. and Deka, R. C. Giant cell tumour of the temporosphenoidal region. *Clin. Rec.*, 449
Chaudhuri, J. N., Khatri, B. B. and Chatterji, P. Plasmacytoma of the nose with intracranial extension. *Clin. Rec.*, 538
Cheesman, A. D., Quiney, R. E., Rogers, M. J. C. and Davidson, R. N. Craniofacial resection for extensive paranasal sinus aspergilloma. *Clin. Rec.*, 1172
Chevreton, E., Lowe, D. and Drake-Lee, A. B. The effects of different fixations on the distribution and numbers of mast cells in patients with nasal polyps. *Orig. Art.*, 1099
Choa, D. I., Leitch, R. N., Bailey, C. M., Evans, J. N. G., Kearns, D. B. and Wickstead, M. Computed tomography in choanal atresia. *Orig. Art.*, 414
Choudhury, C. R., McLean, N. R., Harrop-Griffiths, K. and Breach, N. M. The repair of defects in the head and neck region with the latissimus dorsi myocutaneous flap. *Orig. Art.*, 1127
Choy, D., Shum, J., Engzell, U. C. G., Lau, S. K. and Wei, W. I. Brainstem auditory evoked potentials after irradiation of nasopharyngeal carcinoma. *Clin. Rec.*, 1142
Christmas, H. E., McKenzie, H., Osborne, J. E. and Blair, R. L. Actinomycosis of the nasopharynx: a complication of nasal surgery. *Clin. Rec.*, 639
Ciardi, M. R., Gusmano, R., Raspino, M., Tarantino, V., Moni, L. and Verrina, E. The branchio-oto-renal syndrome. *Orig. Art.*, 138
Clark, D. R. Pritt Tak: Another hazard of grommets and swimming. *Clin. Rec.*, 1039
Clark, G. M. and Franz, B. K-H. G. The surgical anatomy for multiple-electrode extracochlear implant operations. *Orig. Art.*, 685
Cobley, M. A., Davies, J. E. and Lesser, T. H. J. Intubation trauma. *Orig. Art.*, 822
Cole, P. J., Greenstone, M. A., Stanley, P. J. and Mackay, I. S. The effect of vidian neurectomy on nasal mucociliary clearance. *Orig. Art.*, 894
Conrad, J. G., Tyrrell, C. J., Daniel, F. and Mancero, F. S. M. Stage I Hodgkin's disease of the nasopharynx. *Clin. Rec.*, 1179
Cortesina, G., Cavallo, G. P., Macario, M., Poggio, E., Cerrato, M., Prat, M. and Bussolati, G. Monoclonal antibodies against epithelial antigens in laryngeal carcinomas. *Orig. Art.*, 709
Couldery, A. D. and Sharma, P. L. Necrotizing otitis externa. *Clin. Rec.*, 713
Coulson, I. H., Elliman, D. and Baer, S. T. Anhidrotic ectodermal dysplasia: an ENT presentation in infancy. *Clin. Rec.*, 458
Cremers, C. W. R. J. and Pouwels, A. B. P. M. Fibrous dysplasia of the temporal bone. *Clin. Rec.*, 171
Creter, D., Kronenberg, J. and Horowitz, A. Pleomorphic adenoma arising in accessory salivary tissue with constriction of Stensen's duct. *Clin. Rec.*, 382
Crocker, J., Nar, P. and Egan, M. Localization of salivary amylase and epithelial membrane antigen in salivary gland tumours by means of immunoperoxidase and immunogold-silver techniques. *Orig. Art.*, 242
Crocker, J., Shenoi, P. M. and Campbell, J. B. S-100 protein localization in minor salivary gland tumours: an aid to diagnosis. *Orig. Art.*, 905
Crocker, J., Wake, M., Nar, P., Egan, M. and Newman, J. Ectopic production of beta-human chorionic gonadotrophin by inverted papilloma of the nose. *Orig. Art.*, 29
Cross, S. S., Lewis, M. S. and John, D. G. Pseudosarcoma of the oesophagus. *Clin. Rec.*, 954
Crowther, J. A. and McClymont, L. G. Local anaesthetic with vascoconstrictor combinations in septal surgery. *Orig. Art.*, 793
Crowther, J. A. and Sim, D. W. Primary nasal tuberculosis masquerading as a malignant tumour. *Clin. Rec.*, 1150
Croxson, G., Nicholaides, A. and McFerran, D. J. Non-Hodgkins lymphoma of the temporal bone. *Clin. Rec.*, 928
Curley, J. W. A. and Bates, G. J. Rationalization of peritonsillar abscess as an indication for tonsillectomy. *Orig. Art.*, 37
Curley, J. W. A. and O'Donoghue, G. M. Some complications of tracheo-oesophageal puncture for voice restoration. *Clin. Rec.*, 558

Dale, J. C. and Robinson, R. A. Malakoplakia of the parotid gland. *Clin. Rec.*, 737
Daniel, F., Mancero, F. S. M., Conrad, J. G. and Tyrrell, C. J. Stage I Hodgkin's disease of the nasopharynx. *Clin. Rec.*, 1179
Das, D. K., Dhingra, P. L., Bhambhani, S., Raju, G. and Kakar, P. K. Role of fine needle aspiration biopsy in head and teck tumours. *Orig. Art.*, 248
Das Gupta, A. R., Parker, D. A. and Woodhead, J. Pectoralis major flaps: Functional aspects of the repair of oral and oropharyngeal resections. *Orig. Art.*, 509
Das Gupta, A. R., Singh, R. and Brandrick, J. T. Jugulotympanic paraganglioma (Glomus jugulare tumour) presenting as a parotid neoplasm. *Clin. Rec.*, 741
Das, S., Ghosh, L. M., Samanta, A. and Nandy, T. Haemangioma of the maxilla. *Clin. Rec.*, 725
Das, V. K. Aetiology of bilateral sensorineural deafness in children. *Orig. Art.*, 975
Davidson, R. N., Cheesman, A. D., Quiney, R. E. and Rogers, M. J. C. Craniofacial resection for extensive paranasal sinus aspergilloma. *Clin. Rec.*, 1172
Davies, J. E., Lesser, T. H. J. and Cobley, M. A. Intubation trauma. *Orig. Art.*, 822
Davis, B. C., Albizzati, C. and Ramesar, K. C. R. B. Plasma cell granuloma of the larynx. *Clin. Rec.*, 187
Dawes, P. J. D. Inferior turbinectomy. *Orig. Art.*, 590

Dawlatly, E. E., Anim, J. T. and Baraka, M. E. Local iatrogenic complications in nasopharyngeal rhinoscleroma. *Orig. Art.*, 1115
Dawlatly, E. E., Anim, J. T. and El-Hassan, A. Y. Angiomyolipoma of the nasal cavity. *Clin. Rec.*, 1156
De, S. K. and Dey, D. D. Tumours of the mastoid temporal bone. *Orig. Art.*, 582
Deadman, M. and Morgan, D. W. The thermoplastic splint. *Clin. Rec.*, 724
Deb Nath, D. K. and Ahmed, G. M. S. Ceruminous gland tumour. *Clin. Rec.*, 346
Deggouj, N., Frederickx, Y., Remacle, M., Hamoir, M. and Marbaix, E. Interest in frozen section examination of margins and lymph nodes in laryngeal surgey. *Orig. Art.*, 818
Deka, R. C., Chaudhary, C., Misra, N. K. and Tandon, D. A. Giant cell tumour of the temporosphenoidal region. *Clin. Rec.*, 449
Deka, R. C., Dev, A. and Ghosh, P. Acquired tracheo-oesophageal fistula. *Clin. Rec.*, 378
Del Villar, R., Gayoso, M. J., Morais, D. and González, M. Long-term ototoxic effects of neomycin applied topically in the middle ear. *Orig. Art.*, 304
Dempster, J. H. and Mackenzie, K. Squamous carcinoma of the sphenoid sinus in association with inverted papillomatosis. *Clin. Rec.*, 938
Dempster, J. H. and Roig, J. A. Stoma buttons—an unreported hazard. *Clin. Rec.*, 556
Dempster, J. H. Post-tonsillectomy analgesia: The use of benzocaine lozenges. *Orig. Art.*, 813
Desai, S. and Rajaratnam, K. Kaposi's sarcoma of the trachea. *Clin. Rec.*, 951
Desai, S. D. and Rajaratnam, K. Laryngeal granuloma—an unusual presentation of AIDS. *Clin. Rec.*, 372
Desouza, C., Sheode, J., Shah, K. L. and Ogale, S. B. The styloid process in ossicular chain reconstruction. *Orig. Art.*, 136
Dev, A., Ghosh, P. and Deka, R. C. Acquired tracheo-oesophageal fistula. *Clin. Rec.*, 378
Dev, A., Ghosh, P. and Sen Gupta, S. K. Congenital cholesteatoma. *Clin. Rec.*, 612
Dey, D. D. and De, S. K. Tumours of the mastoid temporal bone. *Orig. Art.*, 582
Dhingra, P. L., Bhambhani, S., Raju, G., Kakar, P. K. and Das, D. K. Role of fine needle aspiration biopsy in head and teck tumours. *Orig. Art.*, 248
Dhingra, P. L., Verma, S. K. and Saxena, S. Aneurysm of the internal carotid artery presenting as a parapharyngeal mass. *Clin. Rec.*, 654
Doan, H. T. and Powell, J. S. Exostosis of the internal auditory canal. *Clin. Rec.*, 173
Doble II, H. P., Sneige, N., Batsakis, J. G. and Hawkins, R. A. Pseudoparasitic (Liesegang) bodies in paranasal sinus. *Clin. Rec.*, 730
Doménech, J., Loncá, M., Carulla, M., Sabater, F. and Mensa, J. Necrotizing external otitis treated with ciprofloxacin. *Clin. Rec.*, 606
Dommerby, H., Tveterås, K. and Kristensen, S. Septic cavernous and lateral sinus thrombosis. *Orig. Art.*, 877
Drake-Lee, A. B. and McLoughlan, P. The release of histamine from nasal polyp tissue and peripheral blood when challenged with antihuman IgE, house dust mite extract and mixed grass pollen extract and compared with positive skin tests. *Orig. Art.*, 886
Drake-Lee, A. B., Chevreton, E. and Lowe, D. The effects of different fixations on the distribution and numbers of mast cells in patients with nasal polyps. *Orig. Art.*, 1099
Drysdale, A., Moore-Gillon, V. and Baer, S. T. Giant radicular cyst in the maxillary antrum presenting with chronic epiphora. *Clin. Rec.*, 365
Dubey, S. P., Mehra, Y. N., Banerjee, A. K., Mann, S. B. S., Garge, K. and Nehru, V. I. Nasal involvement in systemic amyloidosis. *Clin. Rec.*, 1153
Dulitzky, F., Finkelstein, Y., Zohar, Y., Talmi, Y. P. and Sador, R. Teratoma of the mastoid region in a newborn. *Clin. Rec.*, 1033
Durham, L., Mackenzie, I. J. and Foy, P. Embryonal rhabdomyosarcoma of the sphenoid sinus. *Clin. Rec.*, 836
Durham, L., Ramadan, M. F., Bark-Jones, N. and Willatt, D. J. A prospective randomized trial of suture material in aural wound closure. *Orig. Art.*, 788
Duvall, E. and Ibekwe A. O. Verrucous carcinoma of the larynx: problems of diagnosis and treatment. *Clin. Rec.*, 79

Eassa, A., Talaat, F., Abdel-Baki, F. and Moghazi, H. Peripheral nerve involvement in acute Bell's palsy. *Clin. Rec.*, 447
East, C. A., Stewart Flemming, A. F. and Brough, M. D. Tracheostomal reconstruction using a fenestrated deltopectoral skin flap. *Clin. Rec.*, 282
Ebihara, H., Shibusawa, M., Watanabe, K., Harada, H., Oku, T., Watanabe, I., Ichinohasama, R. and Hasegawa, M. Pleomorphic adenoma of the trachea. *Clin. Rec.*, 560
Eccles, R., Griffiths, D. H., Newton, C. G. and Tolley, N. S. The effects of D and L Isomers of Menthol upon nasal sensation of airflow. *Orig. Art.*, 506
Echeverria-Zumarraga, M., Kaiser, C. and Gavilan, C. Nasal septal carcinoma: initial symptom of nasal septal perforation. *Clin. Rec.*, 834
Egan, M., Crocker, J. and Nar, P. Localization of salivary amylase and epithelial membrane antigen in salivary gland tumours by means of immunoperoxidase and immunogold-silver techniques. *Orig. Art.*, 242
Egan, M., Newman, J., Crocker, J., Wake, M. and Nar, P. Ectopic production of beta-human chorionic gonadotrophin by inverted papilloma of the nose. *Orig. Art.*, 29
El-Hassan, A. Y., Dawlatly, E. E. and Anim, J. T. Angiomyolipoma of the nasal cavity. *Clin. Rec.*, 1156
El-Khatieb, A. A. and Mann, W. Cranioplasty with Palacos R® in reconstruction of frontal sinus defects. *Clin. Rec.*, 824
Elliman, D., Baer, S. T. and Coulson, I. H. Anhidrotic ectodermal dysplasia: an ENT presentation in infancy. *Clin. Rec.*, 458
El-Naggar, A., Batsakis, J. G. and Kessler, S. Benign metastatic mixed tumours or unrecognized salivary carcinomas? *Orig. Art.*, 810
El-Ot-eify, M. A., Mokhtar Farag, M. and Ragaie, A. Rare mid-line congenital anomalies of the face. *Clin. Rec.*, 1040
Elwany, S. Auditory brain stem responses (ABR) in patients with acute severe closed head injuries. *Orig. Art.*, 755
Emgård, P., Krouthén, B., Wennmo, C. and Spandow, O. Pleomorphic adenomas of the parotid gland. *Orig. Art.*, 603
Engzell, U. C. G., Lau, S. K., Wei, W. I., Choy, D. and Shum, J. Brainstem auditory evoked potentials after irradiation of nasopharyngeal carcinoma. *Clin. Rec.*, 1142
Esa, R., Said, H., Phang, K. S., Razi, A., Khuzaiyah, R. and Patawari, P. H. Rhabdomyosarcoma of the middle ear and mastoid in children. *Clin. Rec.*, 614
Evans, E. G. V. and Rivron, R. P. Enlarged cervical lymph node due to African histoplasmosis. *Clin. Rec.*, 945
Evans, J. N. G., Kearns, D. B., Wickstead, M., Choa, D. I., Leitch, R. N. and Bailey, C. M. Computed tomography in choanal atresia. *Orig. Art.*, 414
Evans, R. A., Liu, K. C., Azhar, T. and Symonds, R. P. Assessment of permanent hearing impairment following radical megavoltage radiotherapy. *Orig. Art.*, 588
Eykyn, S. J., Grandsen, N. R. and Wickstead, M. Meningitis after trans-sphenoidal excision of pituitary tumours. *Orig. Art.*, 33

Fagg, N. L. K., Watkinson, J. C. and Hornung, E. A. Cat scratch disease: An unusual cause of acute parotid pain. *Clin. Rec.*, 562
Fagg, N. L. K., Watkinson, J. C. and Searle, A. Hypopharyngeal carcinomatosis, large bowel obstruction and a gastrobronchial fistula. *Clin. Rec.*, 67
Farndon, P. A., Buckley, J. G., Hinton, A. E. and Penter, G. Total laryngotracheal hypoplasia in a case of G syndrome. *Clin. Rec.*, 1056
Farrington, W. T., Keith, A. and Timms, M. S. A new laryngeal instrument for laser microsurgery. *Clin. Rec.*, 554
Feghali, J. G. and Abdu, M. H. Uvulopalatopharyngoplasty in a child with obstructive sleep apnoea. *Clin. Rec.*, 546
Fennell, G., O'Dwyer, T. P., Lee, R. J. and Kaye, J. Ipratropium bromide in the treatment of the 'rhinorrhoea syndrome'. *Orig. Art.*, 799
Ferlito, A., Giarelli, L. and Silvestri, F. Intratracheal thyroid. *Clin. Rec.*, 95

Finkelstein, Y., Shem Tov, Y., Zohar, Y., Laurian, N. and Talmi, Y. P. Scrofula revisited. *Clin. Rec.*, 387
Finkelstein, Y., Zohar, Y., Talmi, Y. P., Sador, R. and Dulitzky, F. Teratoma of the mastoid region in a newborn. *Clin. Rec.*, 1033
Fjeremedal, O., Saunte, C. and Pedersen, S. Septoplasty and/or submucous resection? *Orig. Art.*, 796
Fliss, D. M., Puterman, M. and Leiberman, A. Cervicomediastinal emphysema due to oral blast. *Clin. Rec.*, 105
Fliss, D. M., Sidi, J., Zirkin, H. and Puterman, M. Giant cementoblastoma simulating a peridental infection. *Clin. Rec.*, 264
Flood, L. M., Ruckley, R. W. and Oswal, V. Use of bronchoscopic CO_2 laser in palliation of obstruction tracheobronchial malignancy. *Orig. Art.*, 159
Forrest, A. W., Wickham, M. H. and Barton, R. P. E. Use of the fibreoptic laryngoscope in pharyngeal pouch surgery. *Orig. Art.*, 328
Foy, P., Durham, L. and Mackenzie, I. J. Embryonal rhabdomyosarcoma of the sphenoid sinus. *Clin. Rec.*, 836
Fradis, M., Misselevitch, I., Boss, J., Gertner, R. and Podoshin, L. Liposarcoma of the larynx. *Clin. Rec.*, 838
Frame, J. W., Rhys Evans, P. H. and Basu, M. K. Wound healing following partial glossectomy using the CO_2 laser, diathermy and scalpel. *Orig. Art.*, 322
Franz, B. K-H. G. and Clark, G. M. The surgical anatomy for multiple-electrode extracochlear implant operations. *Orig. Art.*, 685
Frederickx, Y., Remacle, M., Hamoir, M., Marbaix, E. and Deggouj, N. Interest in frozen section examination of margins and lymph nodes in laryngeal surgey. *Orig. Art.*, 818
Friedmann, I. and Arnold, W. Otosclerosis—an inflammatory disease of the otic capsule of viral aetiology. *Orig. Art.*, 865
Fukui, M., Nakashima, T., Tomita, K., Uemura, T. and Matsushima, T. Accessory nerve schwannoma extending extracranially to the second cervical level vertebra. *Clin. Rec.*, 959
Furukawa, Y., Ikeda, K., Sakurada, T., Sasaki, Y. and Takasaka, T. Clinical investigation of olfactory and auditory function in type I pseudo-hypoparathyroidism: participation of adenylate cyclase system. *Orig. Art.*, 1111

Gadre, A. K., Savant, R., Gadre, K. C., Bhargava, K. B. and Juvekar, R. V. Reopening of the closed nostril in atrophic rhinitis. *Orig. Art.*, 411
Gadre, K. C., Bhargava, K. B., Juvekar, R. V., Gadre, A. K. and Savant, R. Reopening of the closed nostril in atrophic rhinitis. *Orig. Art.*, 411
Gamea, A. M. Local rifampicin in treatment of rhinoscleroma. *Orig. Art.*, 319
Gandolfo, L., Tanda, F., Ghiselli, F., Manunta, V. and Massarelli, G. Maxillary chondrosarcoma. *Clin. Rec.*, 177
Garfield Davies, D. and Vallis, R. C. Angiolymphoid hyperplasia of the head and neck. *Clin. Rec.*, 100
Garge, K., Nehru, V. I., Dubey, S. P., Mehra, Y. N., Banerjee, A. K. and Mann, S. B. S. Nasal involvement in systemic amyloidosis. *Clin. Rec.*, 1153
Gatehouse, S., Calder, I. T. and Browning, G. G. Medical management of active chronic otitis media. *Orig. Art.*, 491
Gatland, D., Brookes, J. and Youngs, R. P. Swallowed radiolucent dental prosthesis. *Clin. Rec.*, 71
Gatland, D. J., Keene, M. H. and Brookes, J. D. Cricoid necrosis in laryngeal rheumatoid arthritis. *Clin. Rec.*, 271
Gatot, A., Tovi, F. and Hirsch, M. Superior vena cava syndrome: presenting symptoms of silent otitis media. *Clin. Rec.*, 623
Gavilan, C., Echeverria-Zumarraga, M. and Kaiser, C. Nasal septal carcinoma: initial symptom of nasal septal perforation. *Clin. Rec.*, 834
Gayoso, M. J., Morais, D., González, M. and Del Villar, R. Long-term ototoxic effects of neomycin applied topically in the middle ear. *Orig. Art.*, 304
Gendeh, B. S. and Gibb, A. G. An unusual foreign body presenting in the nasopharynx. *Clin. Rec.*, 641
Gertner, R., Podoshin, L., Fradis, M., Misselevitch, I. and Boss, J. Liposarcoma of the larynx. *Clin. Rec.*, 838
Ghiselli, F., Manunta, V., Massarelli, G., Gandolfo, L. and Tanda, F. Maxillary chondrosarcoma. *Clin. Rec.*, 177
Ghosh, L. M., Samanta, A., Nandy, T. and Das, S. Haemangioma of the maxilla. *Clin. Rec.*, 725
Ghosh, P., Deka, R. C. and Dev, A. Acquired tracheo-oesophageal fistula. *Clin. Rec.*, 378
Ghosh, P., Sen Gupta, S. K. and Dev, A. Congenital cholesteatoma. *Clin. Rec.*, 612
Ghosh, P., Tickoo, S. K., Bhargava, D. K. and Tandon, D. A. Gardner's syndrome presenting with proptosis. *Clin. Rec.*, 1036
Giarelli, L., Silvestri, F. and Ferlito, A. Intratracheal thyroid. *Clin. Rec.*, 95
Gibb, A. G. and Gendeh, B. S. An unusual foreign body presenting in the nasopharynx. *Clin. Rec.*, 641
Gibb, A. G., Said, H. and Phang, K. S. Mucoepidermoid carcinoma of the trachea. *Clin. Rec.*, 83
Gillberg, C., Rosenhall, U. and Johansson, E. Oculomotor findings in autistic children. *Orig. Art.*, 435
Gleeson, M. J., Cassidy, M. and McMullin, J. P. Castleman's disease—an unusual neck mass. *Clin. Rec.*, 661
Goldhammer, Y., Sadeh, M., Martinovits, G. and Leventon, G. Vocal cord paralysis as a presenting sign in the Shy-Drager syndrome. *Clin. Rec.*, 280
González, M., Del Villar, R., Gayoso, M. J. and Morais, D. Long-term ototoxic effects of neomycin applied topically in the middle ear. *Orig. Art.*, 304
Goulatia, R. K., Tandon, D. A., Bahadur, S. and Kacker, S. K. Nasopharyngeal angiofibroma. *Orig. Art.*, 805
Grace, A. R., Bailey, C. M., Preece, J. M., Kearns, D. B. and Wickersham, J. K. Nasal lipoma. *Clin. Rec.*, 1044
Grandi, G., Pagliaro, G., Poli, P. and Ralza, G. Haemangiopericytoma of the submandibular gland. *Clin. Rec.*, 97
Grandsen, N. R., Wickstead, M. and Eykyn, S. J. Meningitis after trans-sphenoidal excision of pituitary tumours. *Orig. Art.*, 33
Greenstone, M. A., Stanley, P. J., Mackay, I. S. and Cole, P. J. The effect of vidian neurectomy on nasal mucociliary clearance. *Orig. Art.*, 894
Griffiths, D. H., Newton, C. G., Tolley, N. S. and Eccles, R. The effects of D and L Isomers of Menthol upon nasal sensation of airflow. *Orig. Art.*, 506
Griffiths, M. V. and Watson, D. J. The safety and efficacy of intra-nasal ethmoidectomy. *Orig. Art.*, 802
Gulisano, M., Polli, G., Biondi, G. and Pacini, P. Study of the nasopharynx in man by scanning electron microscopy. *Orig. Art.*, 1102
Gupta, B. K., Sekar, J. C., Rajarathinan, C., Nachiappan, M., Banerjee, A., Subba Rao, K. S. V. K., Khanna, S. K. and Narayanan, P. S. Laryngo-tracheo-bronchial foreign bodies in children. *Orig. Art.*, 1029
Gusmano, R., Raspino, M., Tarantino, V., Moni, L., Verrina, E. and Ciardi, M. R. The branchio-oto-renal syndrome. *Orig. Art.*, 138

Halaburt, H., Lunndorf, E. and Kjeldgaard, A. Coronal CT examination in the evaluation of small fronto-ethmoidal encephalocoeles. *Orig. Art.*, 1119
Hamoir, M., Marbaix, E., Deggouj, N., Frederickx, Y. and Remacle, M. Interest in frozen section examination of margins and lymph nodes in laryngeal surgey. *Orig. Art.*, 818
Hanna, G. S., Akosa, A. B. and Ali, M. H. Vascular leiomyoma of the inferior turbinate. *Clin. Rec.*, 1159
Hanna, G. S., Ali, M. H., Akosa, A. B. and Maher, E. J. Merkel-cell carcinoma of the pinna. *Clin. Rec.*, 608
Hansson, L.-G., Johansen, C. C. and Biörklund, A. CT sialography and conventional sialography in the evaluation of parotid gland neoplasms. *Orig. Art.*, 163
Harada, H., Oku, T., Watanabe, I., Ichinohasama, R., Hasegawa, M., Ebihara, H., Shibusawa, M. and Watanabe, K. Pleomorphic adenoma of the trachea. *Clin. Rec.*, 560
Hardy, P. A. J. Influence of spinal puncture and injection on VIIIth nerve function. *Clin. Rec.*, 452

Har-El, G., Mintz, S. and Anavi, Y. The treatment of facial haemangioma by percutaneous injections of sodium tetradecyl sulfate. *Clin. Rec.*, 87
Harries, M. L. L. Melanoma metastatic to the head and neck. *Clin. Rec.*, 842
Harris, S. C., Shortland, J. R., Shaw, J. D. and Wight, R. G. Rhabdomyosarcoma of the nasopharynx: A case with recurrence of tumour after 20 years. *Clin. Rec.*, 1182
Harris, S., Sharma, R. K., Paulose, K. O., Al Khalifa, S. and Shenoy, P. K. Osteopetrosis (marble bone disease)—agenesis of paranasal sinuses. *Clin. Rec.*, 1047
Harrop-Griffiths, K. and McLean, N. R. An ingenious mucus trap. *Clin. Rec.*, 291
Harrop-Griffiths, K., Breach, N. M., Choudhury, C. R. and McLean, N. R. The repair of defects in the head and neck region with the latissimus dorsi myocutaneous flap. *Orig. Art.*, 1127
Hartwig, S., Lindén, M., Laurent, C., Vargö, A.-K. and Lindqvist, N. Budesonide nasal spray as prophylactic treatment after polypectomy. *Orig. Art.*, 148
Hasegawa, M., Ebihara, H., Shibusawa, M., Watanabe, K., Harada, H., Oku, T., Watanabe, I. and Ichinohasama, R. Pleomorphic adenoma of the trachea. *Clin. Rec.*, 560
Hawkins, R. A., Doble II, H. P., Sneige, N. and Batsakis, J. G. Pseudoparasitic (Liesegang) bodies in paranasal sinus. *Clin. Rec.*, 730
Hawthorn, M. R. and Parker, A. J. Perforations of the tympanic membrane following the use of Goode-Type 'long term' tympanostomy tubes. *Orig. Art.*, 997
Hawthorne, M. and Bingham, B. The use of anaesthetic EMLA cream in minor otological surgery. *Clin. Rec.*, 517
Hazarika, P., Rajshekhar, B., Hebbar, G. K. and Murty, P. S. Familial Treacher-Collins syndrome. *Clin. Rec.*, 620
Hebbar, G. K., Murty, P. S., Hazarika, P. and Rajshekhar, B. Familial Treacher-Collins syndrome. *Clin. Rec.*, 620
Hein, P., Poulsen, M. B., Outzen, K. E., Kristensen, S. and Tveteras, K. Relief of pain and trismus in patients treated with naproxen or acetylsalicylic acid after tonsillectomy. *Orig. Art.*, 39
Herdman, R. and Wright, J. L. W. Grommets and cholesteatoma in children. *Orig. Art.*, 1000
Herdman, R. C. D. and Bates, G. J. E. M. Chondrosarcoma of the sphenoid. *Clin. Rec.*, 727
Hildesheimer, M., Muchnik, C. and Rubinstein, M. Chronic labyrinthine ischemia. *Orig. Art.*, 496
Hinton, A., Allen, C. and Buckley, J. G. Kikuchi's disease—Apparent malignancy of a neck mass. *Clin. Rec.*, 941
Hinton, A. E. and Buckley, G. Parental smoking and middle ear effusions in children. *Orig. Art.*, 992
Hinton, A. E., Penter, G., Farndon, P. A. and Buckley, J. G. Total laryngotracheal hypoplasia in a case of G syndrome. *Clin. Rec.*, 1056
Hirsch, M., Gatot, A. and Tovi, F. Superior vena cava syndrome: presenting symptoms of silent otitis media. *Clin. Rec.*, 623
Holmberg, K. and Bende, M. Influence of topical phenylpropanolamine on tachyphylaxis and mucociliary clearance in the human nose. *Orig. Art.*, 408
Holmes, M. and McGurk, M. Chronic muco-cutaneous candidiasis and oral neoplasia. *Clin. Rec.*, 643
Hornung, E. A., Fagg, N. L. K. and Watkinson, J. C. Cat scratch disease: An unusual cause of acute parotid pain. *Clin. Rec.*, 562
Horowitz, A., Creter, D. and Kronenberg, J. Pleomorphic adenoma arising in accessory salivary tissue with constriction of Stensen's duct. *Clin. Rec.*, 382
Hovig, T., Wetteland, J., Kolbenstvedt, A., Boysen, M. Y. and Scott, H. Rhabdomyoma of the tongue. *Clin. Rec.*, 1185
Howard, D. J., Wei, W. I. and Lund, V. J. Serous otitis media in malignancies of the nasopharynx and maxilla. *Orig. Art.*, 129
Hunter, J., McIlwain, J. C., Toner, J. G., Stewart, T. J., Kwok, O. and Campbell, J. B. The flora of the tonsil and post-operative fossa in adult tonsillectomy patients. *Orig. Art.*, 598

Ibekwe, A. O. and Duvall, E. Verrucous carcinoma of the larynx: problems of diagnosis and treatment. *Clin. Rec.*, 79
Ibrahim, R. A. and Khalifa, M. C. Cherubism. *Clin. Rec.*, 568
Ikeda, K., Sakurada, T., Sasaki, Y., Takasaka, T. and Furukawa, Y. Clinical investigation of olfactory and auditory function in type I pseudo-hypoparathyroidism: participation of adenylate cyclase system. *Orig. Art.*, 1111
Ilberg, C. V. and Klima, A. Laryngoplasty: results and problems after the creation of a neoglottis. *Orig. Art.*, 43
Ilberg, C. V., Klima, A., Klippstein, T., Bergmann, L. and Szepesi, S. Adjuvant chemotherapy in stage III and IV squamous cell carcinoma of the head and neck. *Orig. Art.*, 337
Irwin, S. T., Nirodi, N. and Scally, C. M. Low grade polymorphous adenocarcinoma of a minor salivary gland. *Clin. Rec.*, 284

Jagger, C., Moloney, J. R. and John, D. G. Age, sex, ethnic origin and tonsillectomy. *Clin. Rec.*, 649
Jamal, M. N., Samara, N. S. and Al-Lozi, M. T. A.-L. Moebius' syndrome. *Clin. Rec.*, 350
Jenkins, J. P. R., Pace-Balzan, A., Ramsden, R. T. and Lye, R. H. An unusual posterior cranial fossa tumour causing hearing loss. *Clin. Rec.*, 720
Joachims, H. Z. and Ben Arieh, Y. Basal cell carcinoma of the middle-ear—a natural history. *Clin. Rec.*, 932
Job, A., Bhani, T. S., Mathai, R. and Raghaven, R. Pseudocyst of the auricle. *Clin. Rec.*, 344
Johansen, C. C., Biörklund, A. and Hansson, L.-G. CT sialography and conventional sialography in the evaluation of parotid gland neoplasms. *Orig. Art.*, 163
Johansson, E., Gillberg, C. and Rosenhall, U. Oculomotor findings in autistic children. *Orig. Art.*, 435
John, D. G., Carlin, W. V. and Thomas, P. L. The effect of inferior turbinate outfracture on nasal resistance to airflow in vasomotor rhinitis assessed by rhinomanometry. *Orig. Art.*, 144
John, D. G., Cross, S. S. and Lewis, M. S. Pseudosarcoma of the oesophagus. *Clin. Rec.*, 954
John, D. G., Jagger, C. and Moloney, J. R. Age, sex, ethnic origin and tonsillectomy. *Clin. Rec.*, 649
John, D. G., Newman, P., Lesser, T. J. N., Thomas, P. L. and Kasanzew, M. Chondrosarcoma of the epiglottis. *Clin. Rec.*, 374
John, D. G., Thomas, P. L. and Semeraro, D. Tonsillar haemorrhage and measles. *Clin. Rec.*, 64
Johnson, A. P., Smallman, L. A., Young, J. A., Oates, J. and Proops, D. W. Fine needle aspiration cytology in the management ENT of patients. *Orig. Art.*, 909
Jokinen, K., Palva, A., Nuorviita, J., Poukkula, A. and Ruotsalainen, E.-M. Long-term presence of a denture fragment in the airway. *Clin. Rec.*, 190
Jonathan, D. A. and Violaris, N. S. Comparison of cocaine and lignocaine as intranasal local anaesthetics. *Clin. Rec.*, 628
Jones, A. S., Beckingham, E. and Wight, R. G. Radical trimming of the inferior turbinates and its effect on nasal resistance to airflow. *Orig. Art.*, 694
Jones, A. S., Le Boutillier, A., Lancer, J. M. and Syder, D. The outcome of different management patterns for vocal cord nodules. *Orig. Art.*, 423
Jones, A. S., Wright, R. G., Stevens, J. C. and Beckingham, E. The nasal valve: A physiological and clinical study. *Orig. Art.*, 1089
Jones, N. S. and Kenyon, G. S. Topical nasal steroids in non-atopic perennial rhinitis: subjective symptom scores and objective measurement of nasal resistance by active anterior rhinomanometry. *Orig. Art.*, 1095
Jones, R. and Kent, S. K. Pseudomonas vaccination in chronic ear disease. *Orig. Art.*, 579

Juvekar, R. V., Gadre, A. K., Savant, R., Gadre, K. C. and Bhargava, K. B. Reopening of the closed nostril in atrophic rhinitis. *Orig. Art.*, 411

Kacker, S. K. and Bhandwaj, B. K. Revision stapes surgery. *Orig. Art.*, 20
Kacker, S. K., Goulatia, R. K., Tandon, D. A. and Bahadur, S. Nasopharyngeal angiofibroma. *Orig. Art.*, 805
Kaiser, C., Gavilan, C. and Echeverria-Zumarraga, M. Nasal septal carcinoma: initial symptom of nasal septal perforation. *Clin. Rec.*, 834
Kakar, P. K., Das, D. K., Dhingra, P. L., Bhambhani, S. and Raju, G. Role of fine needle aspiration biopsy in head and teck tumours. *Orig. Art.*, 248
Kalmanovitch, M., Zohar, Y. and Talmi, Y. Thyroid carcinoma, cataract and hearing loss in a patient after irradiation for facial hemangioma. *Clin. Rec.*, 91
Kasanzew, M., John, D. G., Newman, P., Lesser, T. J. N. and Thomas, P. L. Chondrosarcoma of the epiglottis. *Clin. Rec.*, 374
Kaye, J., Fennell, G., O'Dwyer, T. P. and Lee, R. J. Ipratropium bromide in the treatment of the 'rhinorrhoea syndrome'. *Orig. Art.*, 799
Kearns, D. B., Wickersham, J. K., Grace, A. R., Bailey, C. M. and Preece, J. M. Nasal lipoma. *Clin. Rec.*, 1044
Kearns, D. B., Wickstead, M., Choa, D. I., Leitch, R. N., Bailey, C. M. and Evans, J. N. G. Computed tomography in choanal atresia. *Orig. Art.*, 414
Keay, D. G. and Murray, J. A. M. Malignant otitis externa due to Staphylococcus infection. *Clin. Rec.*, 926
Keay, D. G., Small, M., Kerr, A. I. G. and McLaren, K. Ameloblastoma presenting as nasal obstruction. *Clin. Rec.*, 530
Keay, D. Total bilateral hearing loss as a complication of myeloma. *Clin. Rec.*, 357
Kedar, A., Cantrel, G. and Rosen, G. Rhabdomyosarcoma of the trachea. *Clin. Rec.*, 735
Keene, M. H., Brookes, J. D. and Gatland, D. J. Cricoid necrosis in laryngeal rheumatoid arthritis. *Clin. Rec.*, 271
Keith, A., Timms, M. S. and Farrington, W. T. A new laryngeal instrument for laser microsurgery. *Clin. Rec.*, 554
Kent, S. K. and Jones, R. Pseudomonas vaccination in chronic ear disease. *Orig. Art.*, 579
Kenyon, G. S. and Jones, N. S. Topical nasal steroids in non-atopic perennial rhinitis: subjective symptom scores and objective measurement of nasal resistance by active anterior rhinomanometry. *Orig. Art.*, 1095
Kerr, A. I. G., McLaren, K., Keay, D. G. and Small, M. Ameloblastoma presenting as nasal obstruction. *Clin. Rec.*, 530
Kessler, S., El-Naggar, A. and Batsakis, J. G. Benign metastatic mixed tumours or unrecognized salivary carcinomas?UF92 Orig. Art., 810
Khalifa, M. C. and Ibrahim, R. A. Cherubism. *Clin. Rec.*, 568
Khanna, S. K., Narayanan, P. S., Gupta, B. K., Sekar, J. C., Rajarathinan, C., Nachiappan, M., Banerjee, A. and Subba Rao, K. S. V. K. Laryngo-tracheo-bronchial foreign bodies in children. *Orig. Art.*, 1029
Khatri, B. B., Chatterji, P. and Chaudhuri, J. N. Plasmacytoma of the nose with intracranial extension. *Clin. Rec.*, 538
Khuzaiyah, R., Patawari, P. H., Esa, R., Said, H., Phang, K. S. and Razi, A. Rhabdomyosarcoma of the middle ear and mastoid in children. *Clin. Rec.*, 614
Kirkham, N. and Stevens, D. J. Neurofibromas of the paranasal sinuses. *Clin. Rec.*, 256
Kirveskari, P. and Puhakka, H. J. Globus hystericus; globus syndrome? *Orig. Art.*, 231
Kjeldgaard, A., Halaburt, H. and Lunndorf, E. Coronal CT examination in the evaluation of small fronto-ethmoidal encephalocoeles. *Orig. Art.*, 1119
Klima, A. and Ilberg, C. V. Laryngoplasty: results and problems after the creation of a neoglottis. *Orig. Art.*, 43
Klima, A., Klippstein, T., Bergmann, L., Szepesi, S. and Ilberg, C. V. Adjuvant chemotherapy in stage III and IV squamous cell carcinoma of the head and neck. *Orig. Art.*, 337
Klippstein, T., Bergmann, L., Szepesi, S., Ilberg, C. V. and Klima, A. Adjuvant chemotherapy in stage III and IV squamous cell carcinoma of the head and neck. *Orig. Art.*, 337
Knegt-Junk, K. J., Bos, C. E. and Berkovits, R. N. P. Congenital nasal stenosis in neonates. *Orig. Art.*, 500
Kolbenstvedt, A., Boysen, M. Y., Scott, H., Hovig, T. and Wetteland, J. Rhabdomyoma of the tongue. *Clin. Rec.*, 1185
Kramer, M. R., Nesher, G. and Sonnenblick, M. Steroid-responsive hearing loss in temporal arteritis. *Clin. Rec.*, 524
Kristensen, S., Dommerby, H. and Tveterås, K. Septic cavernous and lateral sinus thrombosis. *Orig. Art.*, 877
Kristensen, S., Tveteras, K., Hein, P., Poulsen, M. B. and Outzen, K. E. Relief of pain and trismus in patients treated with naproxen or acetylsalicylic acid after tonsillectomy. *Orig. Art.*, 39
Kronenberg, J., Horowitz, A. and Creter, D. Pleomorphic adenoma arising in accessory salivary tissue with constriction of Stensen's duct. *Clin. Rec.*, 382
Krouthén, B., Wennmo, C., Spandow, O. and Emgård, P. Pleomorphic adenomas of the parotid gland. *Orig. Art.*, 603
Kwok, O., Campbell, J. B., Hunter, J., McIlwain, J. C., Toner, J. G. and Stewart, T. J. The flora of the tonsil and post-operative fossa in adult tonsillectomy patients. *Orig. Art.*, 598

Laberke, H. G. and Schrader, M. Differential diagnosis of verrucous carcinoma in the oral cavity and larynx. *Orig. Art.*, 700
Laing, M. R. and Mclay, K. A. Ectopic thyroid malignancy in the midline of the neck. *Clin. Rec.*, 93
Lal, H., Singh, B., Wig, U. and Saini, A. S. Serum immunoglobulin E levels in patients with head and neck cancer. *Orig. Art.*, 432
Lancer, J. M., Syder, D., Jones, A. S. and Le Boutillier, A. The outcome of different management patterns for vocal cord nodules. *Orig. Art.*, 423
Lannigan, F. J. and Terry, R. M. Pericarditis and peritonitis secondary to otitis media. *Clin. Rec.*, 717
Lannigan, F. J., Newbegin, C. J. R. and Terry, R. M. An unusual subcutaneous neck lump. *Clin. Rec.*, 385
Lau, S. K., Wei, W. I., Choy, D., Shum, J. and Engzell, U. C. G. Brainstem auditory evoked potentials after irradiation of nasopharyngeal carcinoma. *Clin. Rec.*, 1142
Laurent, C., Vargö, A.-K., Lindqvist, N., Hartwig, S. and Lindén, M. Budesonide nasal spray as prophylactic treatment after polypectomy. *Orig. Art.*, 148
Laurian, L., Zohar, Y., Buller, N., Shvili, Y. and Laurian, N. Delayed brainstem auditory evoked responses in diabetic patients. *Orig. Art.*, 857
Laurian, N., Laurian, L., Zohar, Y., Buller, N. and Shvili, Y. Delayed brainstem auditory evoked responses in diabetic patients. *Orig. Art.*, 857
Laurian, N., Shem Tov, Y., Talmi, Y. and Zohar, Y. Facial cutaneous fistula due to a foreign body in Wharton's duct. *Clin. Rec.*, 370
Laurian, N., Talmi, Y. P., Finkelstein, Y., Shem Tov, Y. and Zohar, Y. Scrofula revisited. *Clin. Rec.*, 387
Lawaetz, K. D., Andreassen, U. K. and Ankjaergaard, O. Atypical histiocytic granuloma with eosinophilia. *Clin. Rec.*, 543
Le Boutillier, A., Lancer, J. M., Syder, D. and Jones, A. S. The outcome of different management patterns for vocal cord nodules. *Orig. Art.*, 423
Lee, R. J., Kaye, J., Fennell, G. and O'Dwyer, T. P. Ipratropium bromide in the treatment of the 'rhinorrhoea syndrome'. *Orig. Art.*, 799
Lee, R. J., O'Dwyer, T. P., Sleeman, D. and Walsh, M. Dental disease, acute sinusitis and the orthopantomogram. *Orig. Art.*, 222
Leggett, J. M. and Prendergast, K. Malignant external otitis. *Clin. Rec.*, 53
Leggett, J. M. Laryngo-tracheal stenosis in frontometaphyseal dysplasia. *Clin. Rec.*, 74
Leiberman, A. and Stahl, N. Acute upper airway obstruction due to myxoedema and upper airway abnormalities. *Clin. Rec.*, 733

Leiberman, A., Fliss, D. M. and Puterman, M. Cervicomediastinal emphysema due to oral blast. *Clin. Rec.*, 105
Leitch, R. N., Bailey, C. M., Evans, J. N. G., Kearns, D. B., Wickstead, M. and Choa, D. I. Computed tomography in choanal atresia. *Orig. Art.*, 414
Lesser, T. H. J. and Williams, K. R. The tympanic membrane in cross section. *Orig. Art.*, 209
Lesser, T. H. J., Cobley, M. A. and Davies, J. E. Intubation trauma. *Orig. Art.*, 822
Lesser, T. J. N., Thomas, P. L., Kasanzew, M., John, D. G. and Newman, P. Chondrosarcoma of the epiglottis. *Clin. Rec.*, 374
Leventon, G., Goldhammer, Y., Sadeh, M. and Martinovits, G. Vocal cord paralysis as a presenting sign in the Shy-Drager syndrome. *Clin. Rec.*, 280
Lewis, M. S., John, D. G. and Cross, S. S. Pseudosarcoma of the oesophagus. *Clin. Rec.*, 954
Liang, T. S. and Stanley, R. E. Acute epiglottitis in adults. *Orig. Art.*, 1017
Lindén, M., Laurent, C., Vargö, A.-K., Lindqvist, N. and Hartwig, S. Budesonide nasal spray as prophylactic treatment after polypectomy. *Orig. Art.*, 148
Lindqvist, N., Hartwig, S., Lindén, M., Laurent, C. and Vargö, A.-K. Budesonide nasal spray as prophylactic treatment after polypectomy. *Orig. Art.*, 148
Ling, J. and Barnard, D. Mandibular pathology presenting as a parotid tumour. *Orig. Art.*, 896
Liu, F.-C. and Strome, M. Staging in the treatment of maxillary carcinoma revisited. *Orig. Art.*, 224
Liu, K. C., Azhar, T., Symonds, R. P. and Evans, R. A. Assessment of permanent hearing impairment following radical megavoltage radiotherapy. *Orig. Art.*, 588
Lokman, S., Said, H., Razi Hadi, A. and Noor Akmal, S. Tumefactive fibroinflammatory lesion of the head and neck. *Clin. Rec.*, 1064
Loncá, M., Carulla, M., Sabater, F., Mensa, J. and Doménech, J. Necrotizing external otitis treated with ciprofloxacin. *Clin. Rec.*, 606
Löth, A., Bende, M. and Löth, S. Nasal mucosal blood flow in patients with diabetes mellitus. *Orig. Art.*, 791
Löth, S., Löth, A. and Bende, M. Nasal mucosal blood flow in patients with diabetes mellitus. *Orig. Art.*, 791
Lowe, D., Drake-Lee, A. B. and Chevreton, E. The effects of different fixations on the distribution and numbers of mast cells in patients with nasal polyps. *Orig. Art.*, 1099
Lubsen, H., van 'T. Verlaat, J. W. and van Olphen, A. F. An inverted papilloma with intracranial extension. *Clin. Rec.*, 534
Lucisano, S., Mortara, P., Albera, R., Pia, F. and Bussi, M. Otoneurological aspects of pontine hematoma. *Clin. Rec.*, 453
Lund, V. J., Howard, D. J. and Wei, W. I. Serous otitis media in malignancies of the nasopharynx and maxilla. *Orig. Art.*, 129
Lunndorf, E., Kjeldgaard, A. and Halaburt, H. Coronal CT examination in the evaluation of small fronto-ethmoidal encephalocoeles. *Orig. Art.*, 1119
Luntz, M. and Sadé, J. The value of Politzerization in the treatment of atelectatic ears. *Orig. Art.*, 779
Lye, R. H., Jenkins, J. P. R., Pace-Balzan, A. and Ramsden, R. T. An unusual posterior cranial fossa tumour causing hearing loss. *Clin. Rec.*, 720
Lyons, T. J. and Variend, S Posterior cleft larynx associated with hamartoma. *Clin. Rec.*, 471

Macario, M., Poggio, E., Cerrato, M., Prat, M., Bussolati, G., Cortesina, G. and Cavallo, G. P. Monoclonal antibodies against epithelial antigens in laryngeal carcinomas. *Orig. Art.*, 709
Mackay, B., Ryka, A. F., Seifert, R. W. and Batsakis, J. G. Perinatal salivary gland tumours (Embryomas). *Orig. Art.*, 1007
Mackay, I. S., Cole, P. J., Greenstone, M. A. and Stanley, P. J. The effect of vidian neurectomy on nasal mucociliary clearance. *Orig. Art.*, 894
Mackenzie, I. J. and Somjee, S. Intracranial aerocoele due to micropaque barium. *Clin. Rec.*, 267
Mackenzie, I. J., Foy, P. and Durham, L. Embryonal rhabdomyosarcoma of the sphenoid sinus. *Clin. Rec.*, 836
Mackenzie, K. and Dempster, J. H. Squamous carcinoma of the sphenoid sinus in association with inverted papillomatosis. *Clin. Rec.*, 938
MacLennan, K. A., Bradley, P. J., Narula, A. A., Padfield, C. J. and Morgan, D. A. L. NED survival in head and neck cancer. *Clin. Rec.*, 194
Maher, E. J., Hanna, G. S., Ali, M. H. and Akosa, A. B. Merkel-cell carcinoma of the pinna. *Clin. Rec.*, 608
Mancero, F. S. M., Conrad, J. G., Tyrrell, C. J. and Daniel, F. Stage I Hodgkin's disease of the nasopharynx. *Clin. Rec.*, 1179
Mangat, K. S. and Watson, C. A comparison of audiometric performance and complications of T tubes and Shepard grommets. *Orig. Art.*, 677
Mann, S. B. S., Garge, K., Nehru, V. I., Dubey, S. P., Mehra, Y. N. and Banerjee, A. K. Nasal involvement in systemic amyloidosis. *Clin. Rec.*, 1153
Mann, W. and El-Khatieb, A. A. Cranioplasty with Palacos R® in reconstruction of frontal sinus defects. *Clin. Rec.*, 824
Manni, J. J., Merx, J. L., van den Broek, P. and Thijssen, H. O. M. Asymptomatic venous anomaly of the parotid gland. *Clin. Rec.*, 565
Manunta, V., Massarelli, G., Gandolfo, L., Tanda, F. and Ghiselli, F. Maxillary chondrosarcoma. *Clin. Rec.*, 177
Marbaix, E., Deggouj, N., Frederickx, Y., Remacle, M. and Hamoir, M. Interest in frozen section examination of margins and lymph nodes in laryngeal surgey. *Orig. Art.*, 818
Martin, F. W. and Ruckley, R. W. Fluctuating hearing loss in presbyacusis. *Orig. Art.*, 25
Martinovits, G., Leventon, G., Goldhammer, Y. and Sadeh, M. Vocal cord paralysis as a presenting sign in the Shy-Drager syndrome. *Clin. Rec.*, 280
Marus, G. and Mathews, T. J. Otogenic intradural complications. *Orig. Art.*, 121
Massarelli, G., Gandolfo, L., Tanda, F., Ghiselli, F. and Manunta, V. Maxillary chondrosarcoma. *Clin. Rec.*, 177
Mathai, R., Raghaven, R., Job, A. and Bhani, T. S. Pseudocyst of the auricle. *Clin. Rec.*, 344
Mathews, T. J. Acute and acute-on-chronic mastoiditis. *Orig. Art.*, 115
Mathews, T. J. and Marus, G. Otogenic intradural complications. *Orig. Art.*, 121
Mathews, T. J. and Oliver, S. P. Bacteriology of mastoiditis. *Orig. Art.*, 397
Mathews, T. J. Lateral sinus pathology. *Orig. Art.*, 118
Matsushima, T., Fukui, M., Nakashima, T., Tomita, K. and Uemura, T. Accessory nerve schwannoma extending extracranially to the second cervical level vertebra. *Clin. Rec.*, 959
Matthew, R. N. and Stafford, N. D. Reconstruction of the pharynx after laryngectomy and partial pharyngectomy. *Orig. Art.*, 45
Mazzoni, A., Pareschi, R. and Calabrese, V. Intratemporal vascular tumours. *Clin. Rec.*, 353
McClymont, L. G. and Crowther, J. A. Local anaesthetic with vascoconstrictor combinations in septal surgery. *Orig. Art.*, 793
McClymont, L. G., Reid, R. and Bradley, C. Osteogenic sarcoma of the ethmoid sinus. *Clin. Rec.*, 1176
McFerran, D. J., Croxson, G. and Nicholaides, A. Non-Hodgkins lymphoma of the temporal bone. *Clin. Rec.*, 928
McGurk, M. and Holmes, M. Chronic muco-cutaneous candidiasis and oral neoplasia. *Clin. Rec.*, 643
McIlwain, J. C., Toner, J. G., Stewart, T. J., Kwok, O., Campbell, J. B. and Hunter, J. The flora of the tonsil and post-operative fossa in adult tonsillectomy patients. *Orig. Art.*, 598
McKenzie, H., Osborne, J. E., Blair, R. L. and Christmas, H. E. Actinomycosis of the nasopharynx: a complication of nasal surgery. *Clin. Rec.*, 639
McLaren, K., Keay, D. G., Small, M. and Kerr, A. I. G. Ameloblastoma presenting as nasal obstruction. *Clin. Rec.*, 530

Mclay, K. A. and Laing, M. R. Ectopic thyroid malignancy in the midline of the neck. *Clin. Rec.*, 93
McLean, N. R. and Harrop-Griffiths, K. An ingenious mucus trap. *Clin. Rec.*, 291
McLean, N. R., Harrop-Griffiths, K., Breach, N. M. and Choudhury, C. R. The repair of defects in the head and neck region with the latissimus dorsi myocutaneous flap. *Orig. Art.*, 1127
Mclean, N. R., Trott, P. A. and Shaw, H. J. Fine needle aspiration of the larynx. *Orig. Art.*, 815
McLoughlan, P. and Drake-Lee, A. B. The release of histamine from nasal polyp tissue and peripheral blood when challenged with antihuman IgE, house dust mite extract and mixed grass pollen extract and compared with positive skin tests. *Orig. Art.*, 886
McMullin, J. P., Gleeson, M. J. and Cassidy, M. Castleman's disease—an unusual neck mass. *Clin. Rec.*, 661
McShane, D. P. and Walsh, M. A. Nasal granuloma gravidarum. *Clin. Rec.*, 828
Med, M., Xie, Y. and Chan, X. Nasopharyngeal carcinoma complicated by pseudohypertrophic osteoarthropathy. *Clin. Rec.*, 184
Megarry, S., Pett, A., Scarlett, A., Teh, W., Zeigler, E. and Canter, R. J. The activity against yeasts of human cerumen. *Orig. Art.*, 671
Mehra, Y. N., Banerjee, A. K., Mann, S. B. S., Garge, K., Nehru, V. I. and Dubey, S. P. Nasal involvement in systemic amyloidosis: *Clin. Rec.*, 1153
Mensa, J., Doménech, J., Loncá, M., Carulla, M. and Sabater, F. Necrotizing external otitis treated with ciprofloxacin. *Clin. Rec.*, 606
Merx, J. L., van den Broek, P., Thijssen, H. O. M. and Manni, J. J. Asymptomatic venous anomaly of the parotid gland. *Clin. Rec.*, 565
Miettinen, I. and Wood, C. Why you should have a hearing therapist. *Orig. Art.*, 142
Mills, D. A. J. and Stewart, I. A. A unique presentation of giant cell arteritis. *Clin. Rec.*, 636
Mintz, S., Anavi, Y. and Har-El, G. The treatment of facial haemangioma by percutaneous injections of sodium tetradecyl sulfate. *Clin. Rec.*, 87
Misra, N. K., Tandon, D. A., Deka, R. C. and Chaudhary, C. Giant cell tumour of the temporosphenoidal region. *Clin. Rec.*, 449
Misselevitch, I., Boss, J., Gertner, R., Podoshin, L. and Fradis, M. Liposarcoma of the larynx. *Clin. Rec.*, 838
Mitchell, D. B. and Waldron, J. Unusual presentations of extramedullary plasmacytoma in the head and neck. *Clin. Rec.*, 102
Moghazi, H., Eassa, A., Talaat, F. and Abdel-Baki, F. Peripheral nerve involvement in acute Bell's palsy. *Clin. Rec.*, 447
Mokhtar Farag, M., Ragaie, A. and El-Ot-eify, M. A. Rare mid-line congenital anomalies of the face. *Clin. Rec.*, 1040
Moloney, J. R., John, D. G. and Jagger, C. Age, sex, ethnic origin and tonsillectomy. *Clin. Rec.*, 649
Moni, L., Verrina, E., Ciardi, M. R., Gusmano, R., Raspino, M. and Tarantino, V. The branchio-oto-renal syndrome. *Orig. Art.*, 138
Moore-Gillon, V., Baer, S. T. and Drysdale, A. Giant radicular cyst in the maxillary antrum presenting with chronic epiphora. *Clin. Rec.*, 365
Morais, D., González, M., Del Villar, R. and Gayoso, M. J. Long-term ototoxic effects of neomycin applied topically in the middle ear. *Orig. Art.*, 304
Morgan, D. A. L., MacLennan, K. A., Bradley, P. J., Narula, A. A. and Padfield, C. J. NED survival in head and neck cancer. *Clin. Rec.*, 194
Morgan, D. W. and Deadman, M. The thermoplastic splint. *Clin. Rec.*, 724
Moriarty, B. and Pace-Balzan, A. Bilateral chylothorax following left radical neck dissection. *Clin. Rec.*, 288
Morrison, A. W. Otology at the crossroads. *Orig. Art.*, 751
Morrison, G. A. J. and Bailey, C. M. Relapsing malignant otitis externa successfuly treated with ciprofloxacin. *Orig. Art.*, 872
Morrison, G. A. J. and Shaw, H. J. Squamous carcinoma arising within a Warthin's tumour of the parotid gland. *Clin. Rec.*, 1189
Mortara, P., Albera, R., Pia, F., Bussi, M. and Lucisano, S. Otoneurological aspects of pontine hematoma. *Clin. Rec.*, 453
Muchnik, C., Rubinstein, M. and Hildesheimer, M. Chronic labyrinthine ischemia. *Orig. Art.*, 496
Murray, J. A. M. and Keay, D. G. Malignant otitis externa due to Staphylococcus infection. *Clin. Rec.*, 926
Murty, P. S., Hazarika, P., Rajshekhar, B. and Hebbar, G. K. Familial Treacher-Collins syndrome. *Clin. Rec.*, 620
Myssiorek, D. J., Silver, C. E. and Valdes, M. E. Schwannoma of the cervical sympathetic chain. *Clin. Rec.*, 962

Nachiappan, M., Banerjee, Subba Rao, K. S. V. K., A., Khanna, S. K., Narayanan, P. S., Gupta, B. K., Sekar, J. C. and Rajarathinan, C. Laryngo-tracheo-bronchial foreign bodies in children. *Orig. Art.*, 1029
Nakashima, T., Tomita, K., Uemura, T., Matsushima, T. and Fukui, M. Accessory nerve schwannoma extending extracranially to the second cervical level vertebra. *Clin. Rec.*, 959
Nandy, T., Das, S., Ghosh, L. M. and Samanta, A. Haemangioma of the maxilla. *Clin. Rec.*, 725
Nar, P., Egan, M. and Crocker, J. Localization of salivary amylase and epithelial membrane antigen in salivary gland tumours by means of immunoperoxidase and immunogold-silver techniques. *Orig. Art.*, 242
Nar, P., Egan, M., Newman, J., Crocker, J. and Wake, M. Ectopic production of beta-human chorionic gonadotrophin by inverted papilloma of the nose. *Orig. Art.*, 29
Narayanan, P. S., Gupta, B. K., Sekar, J. C., Rajarathinan, C., Nachiappan, M., Banerjee, A., Subba Rao, K. S. V. K. and Khanna, S. K. Laryngo-tracheo-bronchial foreign bodies in children. *Orig. Art.*, 1029
Narula, A. A., Padfield, C. J., Morgan, D. A. L., MacLennan, K. A. and Bradley, P. J. NED survival in head and neck cancer. *Clin. Rec.*, 194
Neame, J. H. Mobility of the tragus. *Clin. Rec.*, 252
Nehru, V. I., Dubey, S. P., Mehra, Y. N., Banerjee, A. K., Mann, S. B. S. and Garge, K. Nasal involvement in systemic amyloidosis. *Clin. Rec.*, 1153
Nesher, G., Sonnenblick, M. and Kramer, M. R. Steroid-responsive hearing loss in temporal arteritis. *Clin. Rec.*, 524
Newbegin, C. J. R., Terry, R. M. and Lannigan, F. J. An unusual subcutaneous neck lump. *Clin. Rec.*, 385
Newman, J., Crocker, J., Wake, M., Nar, P. and Egan, M. Ectopic production of beta-human chorionic gonadotrophin by inverted papilloma of the nose. *Orig. Art.*, 29
Newman, P., Lesser, T. J. N., Thomas, P. L., Kasanzew, M. and John, D. G. Chondrosarcoma of the epiglottis. *Clin. Rec.*, 374
Newton, C. G., Tolley, N. S., Eccles, R. and Griffiths, D. H. The effects of D and L Isomers of Menthol upon nasal sensation of airflow. *Orig. Art.*, 506
Nicholaides, A., McFerran, D. J. and Croxson, G. Non-Hodgkins lymphoma of the temporal bone. *Clin. Rec.*, 928
Nirodi, N., Scally, C. M. and Irwin, S. T. Low grade polymorphous adenocarcinoma of a minor salivary gland. *Clin. Rec.*, 284
Noor Akmal, S., Lokman, S., Said, H. and Razi Hadi, A. Tumefactive fibroinflammatory lesion of the head and neck. *Clin. Rec.*, 1064
Nuorviita, J., Poukkula, A., Ruotsalainen, E.-M., Jokinen, K. and Palva, A. Long-term presence of a denture fragment in the airway. *Clin. Rec.*, 190

Oates, J., Proops, D. W. and Smallman, L. A. Young's syndrome. *Clin. Rec.*, 460
Oates, J., Proops, D. W., Johnson, A. P., Smallman, L. A. and Young, J. A. Fine needle aspiration cytology in the management ENT of patients. *Orig. Art.*, 909
O'Donoghue, G. M. and Curley, J. W. A. Some complications of tracheo-oesophageal puncture for voice restoration. *Clin. Rec.*, 558
O'Dwyer, T. P., Lee, R. J., Kaye, J. and Fennell, G. Ipratropium bromide in the treatment of the 'rhinorrhoea syndrome'. *Orig. Art.*, 799
O'Dwyer, T. P., Sleeman, D., Walsh, M. and Lee, R. J. Dental disease, acute sinusitis and the orthopantomogram. *Orig. Art.*, 222
Odetoyinbo, O. Early diagnosis of tuberculosis otitis media. *Orig. Art.*, 133

Ogale, S. B., Desouza, C., Sheode, J. and Shah, K. L. The styloid process in ossicular chain reconstruction. *Orig. Art.*, 136
Ogale, S. B., Shah, A., Rao, S. C. and Shah, K. L. Is vidian neurectomy worthwhile? *Clin. Rec.*, 62
Ogisi, F. O. Impedance screening for otitis media with effusion in Nigerian children. *Orig. Art.*, 986
Oku, T., Watanabe, I., Ichinohasama, R., Hasegawa, M., Ebihara, H., Shibusawa, M., Watanabe, K. and Harada, H. Pleomorphic adenoma of the trachea. *Clin. Rec.*, 560
Oliver, S. P. and Mathews, T. J. Bacteriology of mastoiditis. *Orig. Art.*, 397
O'Reilly, B. J. Middle ear effusions and myasthenia gravis. *Clin. Rec.*, 169
Ordonez, N. G., Sevidal, P. A., Baker, J. R. and Batsakis, J. G. Osteoclast-type giant cell neoplasms of the parotid gland. *Orig. Art.*, 901
Osborne, J. and Barr, G. S. Weight gain in children following tonsillectomy. *Orig. Art.*, 595
Osborne, J. E., Blair, R. L., Christmas, H. E. and McKenzie, H. Actinomycosis of the nasopharynx: a complication of nasal surgery. *Clin. Rec.*, 639
Osborne, J., Simpson, J. R. M. and Barr, G. S. Late response of verrucous carcinoma of the larynx to radiotherapy. *Clin. Rec.*, 276
Oswal, V., Flood, L. M. and Ruckley, R. W. Use of bronchoscopic CO_2 laser in palliation of obstruction tracheobronchial malignancy. *Orig. Art.*, 159
Outzen, K. E., Kristensen, S., Tveteras, K., Hein, P. and Poulsen, M. B. Relief of pain and trismus in patients treated with naproxen or acetylsalicylic acid after tonsillectomy. *Orig. Art.*, 39

Pace Balzan, A., Timms, M. S. and Sloan, P. Idiopathic plasmacytosis of the oral and supraglottic mucosa. *Clin. Rec.*, 646
Pace-Balzan, A. and Moriarty, B. Bilateral chylothorax following left radical neck dissection. *Clin. Rec.*, 288
Pace-Balzan, A. and Ramsden, R. T. Sudden bilateral sensorineural hearing loss during treatment with dantrolene sodium (Dantrium). *Clin. Rec.*, 57
Pace-Balzan, A., Ramsden, R. T., Lye, R. H. and Jenkins, J. P. R. An unusual posterior cranial fossa tumour causing hearing loss. *Clin. Rec.*, 720
Pacini, P., Gulisano, M., Polli, G. and Biondi, G. Study of the nasopharynx in man by scanning electron microscopy. *Orig. Art.*, 1102
Padfield, C. J., Morgan, D. A. L., MacLennan, K. A., Bradley, P. J. and Narula, A. A. NED survival in head and neck cancer. *Clin. Rec.*, 194
Padgham, N. D. Hyperextension fracture of the hyoid bone. *Clin. Rec.*, 1062
Pagliaro, G., Poli, P., Ralza, G. and Grandi, G. Haemangiopericytoma of the submandibular gland. *Clin. Rec.*, 97
Palva, A., Nuorviita, J., Poukkula, A., Ruotsalainen, E.-M. and Jokinen, K. Long-term presence of a denture fragment in the airway. *Clin. Rec.*, 190
Palva, T. Surgery related to histopathology in chronic inflammatory middle-ear disease. *Orig. Art.*, 851
Pareschi, R., Calabrese, V. and Mazzoni, A. Intratemporal vascular tumours. *Clin. Rec.*, 353
Parker, A. J. and Hawthorn, M. R. Perforations of the tympanic membrane following the use of Goode-Type 'long term' tympanostomy tubes. *Orig. Art.*, 997
Parker, D. A., Woodhead, J. and Das Gupta, A. R. Pectoralis major flaps: Functional aspects of the repair of oral and oropharyngeal resections. *Orig. Art.*, 509
Parsons, D. S. and Benjamin, B. Recurrent respiratory papillomatasis. *Orig. Art.*, 1022
Patawari, P. H., Esa, R., Said, H., Phang, K. S., Razi, A. and Khuzaiyah, R. Rhabdomyosarcoma of the middle ear and mastoid in children. *Clin. Rec.*, 614
Patel, P. and Phillipps, J. J. Swallowed foreign bodies. *Orig. Art.*, 235
Paulose, K. O., Al Khalifa, S., Sharma, R. K. and Shenoy, P. Odontogenic keratocyst involving the maxillary antrum. *Clin. Rec.*, 1168
Paulose, K. O., Al Khalifa, S., Shenoy, P. K., Harris, S. and Sharma, R. K. Osteopetrosis (marble bone disease)—agenesis of paranasal sinuses. *Clin. Rec.*, 1047
Paulose, K. O., Shenoy, P., Sharma, R. K. and Al-Khalifa, S. Haemangiopericytoma of the nasal septum. *Clin. Rec.*, 1161
Pearman, K., Campbell, J. B. and Wake, M. Spontaneous perforation of the pharynx/oesophagus. *Clin. Rec.*, 549
Pedersen, S., Fjeremedal, O. and Saunte, C. Septoplasty and/or submucous resection? *Orig. Art.*, 796
Pedersen, U. and Viborg Jensen, O. Fractures in polyvinyl chloride tracheostomy tubes. *Clin. Rec.*, 380
Peel, R. N., Terry, R. M. and Bellini, M. J. Chlamydia: Its influence in chronic secretory otitis media. *Orig. Art.*, 673
Penter, G., Farndon, P. A., Buckley, J. G. and Hinton, A. E. Total laryngotracheal hypoplasia in a case of G syndrome. *Clin. Rec.*, 1056
Pett, A., Scarlett, A., Teh, W., Zeigler, E., Canter, R. J. and Megarry, S. The activity against yeasts of human cerumen. *Orig. Art.*, 671
Phang, K. S., Gibb, A. G. and Said, H. Mucoepidermoid carcinoma of the trachea. *Clin. Rec.*, 83
Phang, K. S., Razi, A., Khuzaiyah, R., Patawari, P. H., Esa, R. and Said, H. Rhabdomyosarcoma of the middle ear and mastoid in children. *Clin. Rec.*, 614
Phelps, P. D. and Stansbie, J. M. Glomus jugulare or tympanicum? *Orig. Art.*, 766
Phillipps, J. J. and Patel, P. Swallowed foreign bodies. *Orig. Art.*, 235
Phillips, D. E. and Rogers, J. H. Down's syndrome with lingual tonsil hypertrophy producing sleep apnoea. *Clin. Rec.*, 1054
Phillips, J. J. Spontaneous perforation of the cervical oesophagus. *Clin. Rec.*, 69
Pia, F., Bussi, M., Lucisano, S., Mortara, P. and Albera, R. Otoneurological aspects of pontine hematoma. *Clin. Rec.*, 453
Pickles, J. M. Retropharyngeal abscess complicating a neck wound. *Clin. Rec.*, 552
Podoshin, L., Fradis, M., Misselevitch, I., Boss, J. and Gertner, R. Liposarcoma of the larynx. *Clin. Rec.*, 838
Poggio, E., Cerrato, M., Prat, M., Bussolati, G., Cortesina, G., Cavallo, G. P. and Macario, M. Monoclonal antibodies against epithelial antigens in laryngeal carcinomas. *Orig. Art.*, 709
Poli, P., Ralza, G., Grandi, G. and Pagliaro, G. Haemangiopericytoma of the submandibular gland. *Clin. Rec.*, 97
Polli, G., Biondi, G., Pacini, P. and Gulisano, M. Study of the nasopharynx in man by scanning electron microscopy. *Orig. Art.*, 1102
Poukkula, A., Ruotsalainen, E.-M., Jokinen, K., Palva, A. and Nuorviita, J. Long-term presence of a denture fragment in the airway. *Clin. Rec.*, 190
Poulsen, M. B., Outzen, K. E., Kristensen, S., Tveteras, K. and Hein, P. Relief of pain and trismus in patients treated with naproxen or acetylsalicylic acid after tonsillectomy. *Orig. Art.*, 39
Pouwels, A. B. P. M. and Cremers, C. W. R. J. Fibrous dysplasia of the temporal bone. *Clin. Rec.*, 171
Povey, L., Shenoi, P. M., Campbell, J. B. and Watson, M. G. Minitracheotomy and laryngeal function. *Orig. Art.*, 49
Powell, J. S. and Doan, H. T. Exostosis of the internal auditory canal. *Clin. Rec.*, 173
Pradhan, K. A. and Baser, B. Bipedal myocutaneous flap for one-stage reconstruction of the cheek after cancer surgery. *Orig. Art.*, 601
Prat, M., Bussolati, G., Cortesina, G., Cavallo, G. P., Macario, M., Poggio, E. and Cerrato, M. Monoclonal antibodies against epithelial antigens in laryngeal carcinomas. *Orig. Art.*, 709
Preece, J. M., Kearns, D. B., Wickersham, J. K., Grace, A. R. and Bailey, C. M. Nasal lipoma. *Clin. Rec.*, 1044
Prellner, K. and Stjernquist-Desatnik, A. Antibody response to Pneumococcal vaccination as related to tonsillectomy. *Orig. Art.*, 883
Prendergast, K. and Leggett, J. M. Malignant external otitis. *Clin. Rec.*, 53
Prescott, C. A. J. An unusual complication of epistaxis. *Clin. Rec.*, 176

Prescott, C. A. J. Idiopathic facial nerve palsy. *Orig. Art.*, 403
Proctor, H. M. and Wallace, C. E. Head and neck oncology service—one year's work. *Orig. Art.*, 428
Proops, D. W., Johnson, A. P., Smallman, L. A., Young, J. A. and Oates, J. Fine needle aspiration cytology in the management ENT of patients. *Orig. Art.*, 909
Proops, D. W., Smallman, L. A. and Oates, J. Young's syndrome. *Clin. Rec.*, 460
Puhakka, H. J. and Aitsalo, K. Oesophageal carcinoma: endoscopic and clinical findings in 258 patients. *Orig. Art.*, 1137
Puhakka, H. J. and Kirveskari, P. Globus hystericus; globus syndrome? *Orig. Art.*, 231
Purmessur, M. N. S. and Singh, R. S. BERA in the diagnosis of deafness in children: A retrospective survey of its use in a district general hospital. *Orig. Art.*, 981
Puterman, M., Fliss, D. M., Sidi, J. and Zirkin, H. Giant cementoblastoma simulating a peridental infection. *Clin. Rec.*, 264
Puterman, M., Leiberman, A. and Fliss, D. M. Cervicomediastinal emphysema due to oral blast. *Clin. Rec.*, 105

Quiney, R. E. and Whittet, H. B. Middle turbinate osteoma; an unusual cause of nasal obstruction. *Clin. Rec.*, 359
Quiney, R. E. and Whittet, H. B. Nasal manifestations of yaws. *Clin. Rec.*, 1147
Quiney, R. E., Rogers, M. J. C. and Veitch, D. Y. Intraorbital dermoid: An ophthalmological problem solved by an ENT approach. *Clin. Rec.*, 541
Quiney, R. E., Rogers, M. J. C., Davidson, R. N. and Cheesman, A. D. Craniofacial resection for extensive paranasal sinus aspergilloma. *Clin. Rec.*, 1172
Quiney, R. E., Wallace, C. and Ramsey, A. D. Non-Hodgkin's extranodal lymphoma: a clinico-pathological study of 24 cases involving head and neck sites. *Orig. Art.*, 914

Ragaie, A., El-Ot-eify, M. A. and Mokhtar Farag, M. Rare mid-line congenital anomalies of the face. *Clin. Rec.*, 1040
Raghaven, R., Job, A., Bhani, T. S. and Mathai, R. Pseudocyst of the auricle. *Clin. Rec.*, 344
Rainer, E. H. and Buchanan, G. Tuberculous mastoiditis. *Clin. Rec.*, 440
Rajarathinan, C., Nachiappan, M., Banerjee, A., Subba Rao, K. S. V. K., Khanna, S. K., Narayanan, P. S., Gupta, B. K. and Sekar, J. C. Laryngo-tracheo-bronchial foreign bodies in children. *Orig. Art.*, 1029
Rajaratnam, K. and Desai, S. Kaposi's sarcoma of the trachea. *Clin. Rec.*, 951
Rajrantnam, K. and Desai, S. D. Laryngeal granuloma—an unusual presentation of AIDS. *Clin. Rec.*, 372
Rajshekhar, B., Hebbar, G. K., Murty, P. S. and Hazarika, P. Familial Treacher-Collins syndrome. *Clin. Rec.*, 620
Raju, G., Kakar, P. K., Das, D. K., Dhingra, P. L. and Bhambhani, S. Role of fine needle aspiration biopsy in head and teck tumours. *Orig. Art.*, 248
Ralza, G., Grandi, G., Pagliaro, G. and Poli, P. Haemangiopericytoma of the submandibular gland. *Clin. Rec.*, 97
Ramadan, M. F., Bark-Jones, N., Willatt, D. J. and Durham, L. A prospective randomized trial of suture material in aural wound closure. *Orig. Art.*, 788
Raman, R. Middle ear effusion—A theoretical neuro mechanical hypothesis. *Orig. Art.*, 10
Ramesar, K. and Albizzati, C. Laryngeal cysts: clinical relevance of a modified working classification. *Orig. Art.*, 923
Ramesar, K. C. R. B., Davis, B. C. and Albizzati, C. Plasma cell granuloma of the larynx. *Clin. Rec.*, 187
Ramsden, R. T. and Pace-Balzan, A. Sudden bilateral sensorineural hearing loss during treatment with dantrolene sodium (Dantrium). *Clin. Rec.*, 57
Ramsden, R. T. and Williamson, I. G. Angiosarcoma of maxillary antrum—association with vinyl chloride exposure. *Clin. Rec.*, 464
Ramsden, R. T., Lye, R. H., Jenkins, J. P. R. and Pace-Balzan, A. An unusual posterior cranial fossa tumour causing hearing loss. *Clin. Rec.*, 720
Ramsey, A. D., Quiney, R. E. and Wallace, C. Non-Hodgkin's extranodal lymphoma: a clinico-pathological study of 24 cases involving head and neck sites. *Orig. Art.*, 914
Rao, S. C., Shah, K. L., Ogale, S. B. and Shah, A. Is vidian neurectomy worthwhile? *Clin. Rec.*, 62
Rask-Anderson, H., Bagger-Sjöbäck, D. and Barbara, M. The surface morphology of the endolymphatic sac of the Mongolian gerbil (Meriones unguiculatus). *Orig. Art.*, 308
Rask-Anderson, H., Takumida, M. and Bagger-Sjöbäck, D. Ruthenium red staining of the endolymphatic sac in the guinea pig. *Orig. Art.*, 760
Raspino, M., Tarantino, V., Moni, L., Verrina, E., Ciardi, M. R. and Gusmano, R. The branchio-oto-renal syndrome. *Orig. Art.*, 138
Razi, A., Khuzaiyah, R., Patawari, P. H., Esa, R., Said, H. and Phang, K. S. Rhabdomyosarcoma of the middle ear and mastoid in children. *Clin. Rec.*, 614
Razi Hadi, A., Noor Akmal, S., Lokman, S. and Said, H. Tumefactive fibroinflammatory lesion of the head and neck. *Clin. Rec.*, 1064
Reid, R., Bradley, C. and McClymont, L. G. Osteogenic sarcoma of the ethmoid sinus. *Clin. Rec.*, 1176
Remacle, M., Hamoir, M., Marbaix, E., Deggouj, N. and Frederickx, Y. Interest in frozen section examination of margins and lymph nodes in laryngeal surgey. *Orig. Art.*, 818
Rhys Evans, P. H., Basu, M. K. and Frame, J. W. Wound healing following partial glossectomy using the CO_2 laser, diathermy and scalpel. *Orig. Art.*, 322
Richards, S. H. and Skinner, D. W. Acromegaly—the mucosal changes within the nose and paranasal sinuses. *Orig. Art.*, 1107
Rivron, R. P. and Evans, E. G. V. Enlarged cervical lymph node due to African histoplasmosis. *Clin. Rec.*, 945
Roberto, M. and Zito, F. Scar formation following impulse noise-induced mechanical damage to the organ of Corti. *Orig. Art.*, 2
Robinson, J. M. and Solomons, N. B. Obliteration of mastoid cavities using bone pâté. *Orig. Art.*, 783
Robinson, P. J. and Woodhead, P. Primary hyperparathyroidism presenting with a maxillary tumour and hydrocephalus. *Clin. Rec.*, 1164
Robinson, P. M. Contact sensitivity to gentamicin-hydrocortisone ear drops. *Orig. Art.*, 577
Robinson, P. M. Nasopharyngeal cyst. *Clin. Rec.*, 182
Robinson, P. M. Prognostic factors in otitis media with effusion. *Orig. Art.*, 989
Robinson, R. A. and Dale, J. C. Malakoplakia of the parotid gland. *Clin. Rec.*, 737
Robson, W. G. and Walsh, S. S. Spontaneous passage of a submandibular salivary calculus in a child. *Clin. Rec.*, 1052
Rogers, J. H. and Phillips, D. E. Down's syndrome with lingual tonsil hypertrophy producing sleep apnoea. *Clin. Rec.*, 1054
Rogers, M. J. C., Davidson, R. N., Cheesman, A. D. and Quiney, R. E. Craniofacial resection for extensive paranasal sinus aspergilloma. *Clin. Rec.*, 1172
Rogers, M. J. C., Veitch, D. Y. and Quiney, R. E. Intraorbital dermoid: An ophthalmological problem solved by an ENT approach. *Clin. Rec.*, 541
Roig, J. A. and Dempster, J. H. Stoma buttons—an unreported hazard. *Clin. Rec.*, 556
Rosen, G., Kedar, A. and Cantrel, G. Rhabdomyosarcoma of the trachea. *Clin. Rec.*, 735
Rosenhall, U., Johansson, E. and Gillberg, C. Oculomotor findings in autistic children. *Orig. Art.*, 435
Rubinstein, M., Hildesheimer, M. and Muchnik, C. Chronic labyrinthine ischemia. *Orig. Art.*, 496
Ruckley, R. W. and Blair, R. L. Thermal myringotomy. *Orig. Art.*, 125

Ruckley, R. W. and Martin, F. W. Fluctuating hearing loss in presbyacusis. *Orig. Art.*, 25
Ruckley, R. W., Oswal, V. and Flood, L. M. Use of bronchoscopic CO_2 laser in palliation of obstruction tracheobronchial malignancy. *Orig. Art.*, 159
Ruddy, J. Bacterial tracheitis in a young adult. *Clin. Rec.*, 656
Ruotsalainen, E.-M., Jokinen, K., Palva, A., Nuorviita, J. and Poukkula, A. Long-term presence of a denture fragment in the airway. *Clin. Rec.*, 190
Rybak , L. P. Ototoxicity of ethacrynic acid. *Clin. Rec.*, 518
Ryka, A. F., Seifert, R. W., Batsakis, J. G. and Mackay, B. Perinatal salivary gland tumours (Embryomas). *Orig. Art.*, 1007

Saad, E. F. Antroscleroma. *Clin. Rec.*, 362
Sabater, F., Mensa, J., Doménech, J., Loncá, M. and Carulla, M. Necrotizing external otitis treated with ciprofloxacin. *Clin. Rec.*, 606
Sadeh, M., Martinovits, G., Leventon, G. and Goldhammer, Y. Vocal cord paralysis as a presenting sign in the Shy-Drager syndrome. *Clin. Rec.*, 280
Sadé, J. and Luntz, M. The value of Politzerization in the treatment of atelectatic ears. *Orig. Art.*, 779
Sadé, J. and Shatz, A. Cholesteatoma in children. *Orig. Art.*, 1003
Sador, R., Dulitzky, F., Finkelstein, Y., Zohar, Y. and Talmi, Y. P. Teratoma of the mastoid region in a newborn. *Clin. Rec.*, 1033
Said, H., Phang, K. S. and Gibb, A. G. Mucoepidermoid carcinoma of the trachea. *Clin. Rec.*, 83
Said, H., Phang, K. S., Razi, A., Khuzaiyah, R., Patawari, P. H. and Esa, R. Rhabdomyosarcoma of the middle ear and mastoid in children. *Clin. Rec.*, 614
Said, H., Razi Hadi, A., Noor Akmal, S. and Lokman, S. Tumefactive fibroinflammatory lesion of the head and neck. *Clin. Rec.*, 1064
Saini, A. S., Lal, H., Singh, B. and Wig, U. Serum immunoglobulin E levels in patients with head and neck cancer. *Orig. Art.*, 432
Sakurada, T., Sasaki, Y., Takasaka, T., Furukawa, Y. and Ikeda, K. Clinical investigation of olfactory and auditory function in type I pseudo-hypoparathyroidism: participation of adenylate cyclase system. *Orig. Art.*, 1111
Samanta, A., Nandy, T., Das, S. and Ghosh, L. M. Haemangioma of the maxilla. *Clin. Rec.*, 725
Samara, N. S., Al-Lozi, M. T. A.-L. and Jamal, M. N. Moebius' syndrome. *Clin. Rec.*, 350
Samuel, P. and Babu, S. The effect of inhaled steroids on the upper respiratory tract. *Orig. Art.*, 592
Sasaki, Y., Takasaka, T., Furukawa, Y., Ikeda, K. and Sakurada, T. Clinical investigation of olfactory and auditory function in type I pseudo-hypoparathyroidism: participation of adenylate cyclase system. *Orig. Art.*, 1111
Saunte, C., Pedersen, S. and Fjeremedal, O. Septoplasty and/or submucous resection? *Orig. Art.*, 796
Savant, R. A., Uppal, P. K., Bhargava, K. B. and Shirali, G. N. Toothbrush: an unusual foreign body in ENT practice. *Clin. Rec.*, 1068
Savant, R., Gadre, K. C., Bhargava, K. B., Juvekar, R. V. and Gadre, A. K. Reopening of the closed nostril in atrophic rhinitis. *Orig. Art.*, 411
Saxena, S., Dhingra, P. L. and Verma, S. K. Aneurysm of the internal carotid artery presenting as a parapharyngeal mass. *Clin. Rec.*, 654
Scally, C. M., Irwin, S. T. and Nirodi, N. Low grade polymorphous adenocarcinoma of a minor salivary gland. *Clin. Rec.*, 284
Scarlett, A., Teh, W., Zeigler, E., Canter, R. J., Megarry, S. and Pett, A. The activity against yeasts of human cerumen. *Orig. Art.*, 671
Schrader, M. and Laberke, H. G. Differential diagnosis of verrucous carcinoma in the oral cavity and larynx. *Orig. Art.*, 700
Scott, H., Hovig, T., Wetteland, J., Kolbenstvedt, A. and Boysen, M. Y. Rhabdomyoma of the tongue. *Clin. Rec.*, 1185
Searle, A., Fagg, N. L. K. and Watkinson, J. C. Hypopharyngeal carcinomatosis, large bowel obstruction and a gastrobronchial fistula. *Clin. Rec.*, 67
Seifert, R. W., Batsakis, J. G., Mackay, B. and Ryka, A. F. Perinatal salivary gland tumours (Embryomas). *Orig. Art.*, 1007
Sekar, J. C., Rajarathinan, C., Nachiappan, M., Banerjee, A., Subba Rao, K. S. V. K., Khanna, S. K., Narayanan, P. S. and Gupta, B. K. Laryngo-tracheo-bronchial foreign bodies in children. *Orig. Art.*, 1029
Semeraro, D., John, D. G. and Thomas, P. L. Tonsillar haemorrhage and measles. *Clin. Rec.*, 64
Sen Gupta, S. K., Dev, A. and Ghosh, P. Congenital cholesteatoma. *Clin. Rec.*, 612
Sevidal, P. A., Baker, J. R., Batsakis, J. G. and Ordonez, N. G. Osteoclast-type giant cell neoplasms of the parotid gland. *Orig. Art.*, 901
Shah, A., Rao, S. C., Shah, K. L. and Ogale, S. B. Is vidian neurectomy worthwhile? *Clin. Rec.*, 62
Shah, K. L., Ogale, S. B., Desouza, C. and Sheode, J. The styloid process in ossicular chain reconstruction. *Orig. Art.*, 136
Shah, K. L., Ogale, S. B., Shah, A. and Rao, S. C. Is vidian neurectomy worthwhile? *Clin. Rec.*, 62
Sharma, P. L. and Couldery, A. D. Necrotizing otitis externa. *Clin. Rec.*, 713
Sharma, R. K., Al-Khalifa, S., Paulose, K. O. and Shenoy, P. Haemangiopericytoma of the nasal septum. *Clin. Rec.*, 1161
Sharma, R. K., Paulose, K. O., Al Khalifa, S., Shenoy, P. K. and Harris, S. Osteopetrosis (marble bone disease)—agenesis of paranasal sinuses. *Clin. Rec.*, 1047
Sharma, R. K., Shenoy, P., Paulose, K. O. and Al Khalifa, S. Odontogenic keratocyst involving the maxillary antrum. *Clin. Rec.*, 1168
Shatz, A. and Sadé, J. Cholesteatoma in children. *Orig. Art.*, 1003
Shaw, H. J. A modification of the MacFee incisions for neck dissection. *Orig. Art.*, 1124
Shaw, H. J. and Morrison, G. A. J. Squamous carcinoma arising within a Warthin's tumour of the parotid gland. *Clin. Rec.*, 1189
Shaw, H. J. Induction cytotoxic chemotherapy: The significance of apparent clinical regression after using the Price Hill schedule A protocol for squamous carcinoma of the head and neck. *Orig. Art.*, 1133
Shaw, H. J., Mclean, N. R. and Trott, P. A. Fine needle aspiration of the larynx. *Orig. Art.*, 815
Shaw, H. J. Surgical salvage for squamous cancer involving the supraglottic larynx. *Orig. Art.*, 704
Shaw, J. D., Wight, R. G., Harris, S. C. and Shortland, J. R. Rhabdomyosarcoma of the nasopharynx: A case with recurrence of tumour after 20 years. *Clin. Rec.*, 1182
Shea, J. J. Thirty years of stapes surgery. *Orig. Art.*, 14
Shem Tov, Y., Talmi, Y., Zohar, Y. and Laurian, N. Facial cutaneous fistula due to a foreign body in Wharton's duct. *Clin. Rec.*, 370
Shem Tov, Y., Zohar, Y., Laurian, N., Talmi, Y. P. and Finkelstein, Y. Scrofula revisited. *Clin. Rec.*, 387
Shenoi, P. M., Campbell, J. B. and Crocker, J. S-100 protein localization in minor salivary gland tumours: an aid to diagnosis. *Orig. Art.*, 905
Shenoi, P. M., Campbell, J. B., Watson, M. G. and Povey, L. Minitracheotomy and laryngeal function. *Orig. Art.*, 49
Shenoy, P. K., Harris, S., Sharma, R. K., Paulose, K. O. and Al Khalifa, S. Osteopetrosis (marble bone disease)—agenesis of paranasal sinuses. *Clin. Rec.*, 1047
Shenoy, P., Paulose, K. O., Al Khalifa, S. and Sharma, R. K. Odontogenic keratocyst involving the maxillary antrum. *Clin. Rec.*, 1168
Shenoy, P., Sharma, R. K., Al-Khalifa, S. and Paulose, K. O. Haemangiopericytoma of the nasal septum. *Clin. Rec.*, 1161
Sheode, J., Shah, K. L., Ogale, S. B. and Desouza, C. The styloid process in ossicular chain reconstruction. *Orig. Art.*, 136
Shibusawa, M., Watanabe, K., Harada, H., Oku, T., Watanabe, I., Ichinohasama, R., Hasegawa, M. and Ebihara, H. Pleomorphic adenoma of the trachea. *Clin. Rec.*, 560
Shirali, G. N., Savant, R. A., Uppal, P. K. and Bhargava, K. B. Toothbrush: an unusual foreign body in ENT practice. *Clin. Rec.*, 1068
Shortland, J. R., Shaw, J. D., Wight, R. G. and Harris, S. C. Rhabdomyosarcoma of the nasopharynx: A case with recurrence of tumour after 20 years. *Clin. Rec.*, 1182

Shum, J., Engzell, U. C. G., Lau, S. K., Wei, W. I. and Choy, D. Brainstem auditory evoked potentials after irradiation of nasopharyngeal carcinoma. *Clin. Rec.*, 1142
Shvili, Y., Laurian, N., Laurian, L., Zohar, Y. and Buller, N. Delayed brainstem auditory evoked responses in diabetic patients. *Orig. Art.*, 857
Sidebotham, P. Balance through the ages of man. *Orig. Art.*, 203
Sidi, J., Zirkin, H., Puterman, M. and Fliss, D. M. Giant cementoblastoma simulating a peridental infection. *Clin. Rec.*, 264
Silver, C. E., Valdes, M. E. and Myssiorek, D. J. Schwannoma of the cervical sympathetic chain. *Clin. Rec.*, 962
Silvestri, F., Ferlito, A. and Giarelli, L. Intratracheal thyroid. *Clin. Rec.*, 95
Sim, D. W. and Crowther, J. A. Primary nasal tuberculosis masquerading as a malignant tumour. *Clin. Rec.*, 1150
Sim, D. W. Wax plugs and cotton buds. *Orig. Art.*, 575
Simpson, J. R. M., Barr, G. S. and Osborne, J. Late response of verrucous carcinoma of the larynx to radiotherapy. *Clin. Rec.*, 276
Singh, B., Wig, U., Saini, A. S. and Lal, H. Serum immunoglobulin E levels in patients with head and neck cancer. *Orig. Art.*, 432
Singh, R., Brandrick, J. T. and Das Gupta, A. R. Jugulotympanic paraganglioma (Glomus jugulare tumour) presenting as a parotid neoplasm. *Clin. Rec.*, 741
Singh, R. S. and Purmessur, M. N. S. BERA in the diagnosis of deafness in children: A retrospective survey of its use in a district general hospital. *Orig. Art.*, 981
Singh, S. D. and Swift, A. C. Hearing impairment and the Kearns-Sayre syndrome. *Clin. Rec.*, 626
Singh, W. A simple surgical technique and a new prosthesis for voice rehabilitation after laryngectomy. *Orig. Art.*, 332
Singh, W. Clinical application of electrolaryngograph for speech rehabilitation in near-total laryngectomy with myo-mucosal valved neoglottis. *Orig. Art.*, 335
Skinner, D. W. and Richards, S. H. Acromegaly—the mucosal changes within the nose and paranasal sinuses. *Orig. Art.*, 1107
Sleeman, D., Walsh, M., Lee, R. J. and O'Dwyer, T. P. Dental disease, acute sinusitis and the orthopantomogram. *Orig. Art.*, 222
Sloan, P., Pace Balzan, A. and Timms, M. S. Idiopathic plasmacytosis of the oral and supraglottic mucosa. *Clin. Rec.*, 646
Small, M., Kerr, A. I. G., McLaren, K. and Keay, D. G. Ameloblastoma presenting as nasal obstruction. *Clin. Rec.*, 530
Smallman, L. A., Oates, J. and Proops, D. W. Young's syndrome. *Clin. Rec.*, 460
Smallman, L. A., Young, J. A., Oates, J., Proops, D. W. and Johnson, A. P. Fine needle aspiration cytology in the management ENT of patients. *Orig. Art.*, 909
Smith, M. C. F. and Cable, H. R. Correlation of the sinoscopic appearance of the maxillary antrum with histological and bacteriological findings. *Orig. Art.*, 1086
Sneige, N., Batsakis, J. G., Hawkins, R. A. and Doble II, H. P. Pseudoparasitic (Liesegang) bodies in paranasal sinus. *Clin. Rec.*, 730
Soliman, A. M. An improved technique for the study of immunofluorescence using non-decalcified frozen guinea pig cochlea. *Orig. Art.*, 215
Soliman, A. M. and Wah Yung, M. Changes in the brainstem evoked responses following jugular vein ligation. *Orig. Art.*, 861
Soliman, S. M. Thyroid cartilage at the suprasternal notch with low situated thyroid gland. *Clin. Rec.*, 476
Solomons, N. B. and Blumgart, R. Severe late-onset epistaxis following Le Fort I osteotomy: angiographic localization and embolization. *Clin. Rec.*, 260
Solomons, N. B. and Robinson, J. M. Obliteration of mastoid cavities using bone pâté. *Orig. Art.*, 783
Solomons, N. B. Extensive granular cell tumour of the larynx and trachea. *Clin. Rec.*, 658
Somjee, S. and Mackenzie, I. J. Intracranial aerocoele due to micropaque barium. *Clin. Rec.*, 267
Sonnenblick, M., Kramer, M. R. and Nesher, G. Steroid-responsive hearing loss in temporal arteritis. *Clin. Rec.*, 524
Spandow, O., Emgård, P., Krouthén, B. and Wennmo, C. Pleomorphic adenomas of the parotid gland. *Orig. Art.*, 603
Spencer, M. G. Chlorine and the eustachian tube. *Clin. Rec.*, 55
Stafford, N. D. and Matthew, R. N. Reconstruction of the pharynx after laryngectomy and partial pharyngectomy. *Orig. Art.*, 45
Stahl, N. and Leiberman, A. Acute upper airway obstruction due to myxoedema and upper airway abnormalities. *Clin. Rec.*, 733
Stanley, P. J., Mackay, I. S., Cole, P. J. and Greenstone, M. A. The effect of vidian neurectomy on nasal mucociliary clearance. *Orig. Art.*, 894
Stanley, R. E. and Liang, T. S. Acute epiglottitis in adults. *Orig. Art.*, 1017
Stansbie, J. M. and Phelps, P. D. Glomus jugulare or tympanicum? *Orig. Art.*, 766
Stansbie, J. M., Bleach, N. R. and Stanworth, P. A. Spontaneous cerebrospinal fluid rhinorrhoea. *Clin. Rec.*, 633
Stanworth, P. A., Stansbie, J. M. and Bleach, N. R. Spontaneous cerebrospinal fluid rhinorrhoea. *Clin. Rec.*, 633
Stevens, D. J. and Kirkham, N. Neurofibromas of the paranasal sinuses. *Clin. Rec.*, 256
Stevens, D. J. Cushing's syndrome due to the abuse of betamethasone nasal drops. *Orig. Art.*, 219
Stevens, D. J. Papillary endothelial hyperplasia in the nose. *Clin. Rec.*, 935
Stevens, J. C., Beckingham, E., Jones, A. S. and Wright, R. G. The nasal valve: A physiological and clinical study. *Orig. Art.*, 1089
Stewart Flemming, A. F., Brough, M. D. and East, C. A. Tracheostomal reconstruction using a fenestrated deltopectoral skin flap. *Clin. Rec.*, 282
Stewart, I. A. and Mills, D. A. J. A unique presentation of giant cell arteritis. *Clin. Rec.*, 636
Stewart, T. J., Kwok, O., Campbell, J. B., Hunter, J., McIlwain, J. C. and Toner, J. G. The flora of the tonsil and post-operative fossa in adult tonsillectomy patients. *Orig. Art.*, 598
Stjernquist-Desatnik, A. and Prellner, K. Antibody response to Pneumococcal vaccination as related to tonsillectomy. *Orig. Art.*, 883
Strome, M. and Liu, F.-C. Staging in the treatment of maxillary carcinoma revisited. *Orig. Art.*, 224
Subba Rao, K. S. V. K., Khanna, S. K., Narayanan, P. S., Gupta, B. K., Sekar, J. C., Rajarathinan, C., Nachiappan, M. and Banerjee, A. Laryngo-tracheo-bronchial foreign bodies in children. *Orig. Art.*, 1029
Swift, A. C. and Singh, S. D. Hearing impairment and the Kearns-Sayre syndrome. *Clin. Rec.*, 626
Swift, A. C. Upper airway obstruction, sleep disturbance and adeno-tonsillectomy in children. *Orig. Art.*, 419
Syder, D., Jones, A. S., Le Boutillier, A. and Lancer, J. M. The outcome of different management patterns for vocal cord nodules. *Orig. Art.*, 423
Symonds, R. P., Evans, R. A., Liu, K. C. and Azhar, T. Assessment of permanent hearing impairment following radical megavoltage radiotherapy. *Orig. Art.*, 588
Szepesi, S., Ilberg, C. V., Klima, A., Klippstein, T. and Bergmann, L. Adjuvant chemotherapy in stage III and IV squamous cell carcinoma of the head and neck. *Orig. Art.*, 337

Takasaka, T., Furukawa, Y., Ikeda, K., Sakurada, T. and Sasaki, Y. Clinical investigation of olfactory and auditory function in type I pseudo-hypoparathyroidism: participation of adenylate cyclase system. *Orig. Art.*, 1111
Takumida, M., Bagger-Sjöbäck, D. and Rask-Anderson, H. Ruthenium red staining of the endolymphatic sac in the guinea pig. *Orig. Art.*, 760
Talaat, F., Abdel-Baki, F., Moghazi, H. and Eassa, A. Peripheral nerve involvement in acute Bell's palsy. *Clin. Rec.*, 447
Talmi, Y., Kalmanovitch, M. and Zohar, Y. Thyroid carcinoma, cataract and hearing loss in a patient after irradiation for facial hemangioma. *Clin. Rec.*, 91

Talmi, Y. P., Finkelstein, Y., Shem Tov, Y., Zohar, Y. and Laurian, N. Scrofula revisited. *Clin. Rec.*, 387
Talmi, Y. P., Sador, R., Dulitzky, F., Finkelstein, Y. and Zohar, Y. Teratoma of the mastoid region in a newborn. *Clin. Rec.*, 1033
Talmi, Y., Zohar, Y., Laurian, N. and Shem Tov, Y. Facial cutaneous fistula due to a foreign body in Wharton's duct. *Clin. Rec.*, 370
Tanda, F., Ghiselli, F., Manunta, V., Massarelli, G. and Gandolfo, L. Maxillary chondrosarcoma. *Clin. Rec.*, 177
Tandon, D. A., Bahadur, S., Kacker, S. K. and Goulatia, R. K. Nasopharyngeal angiofibroma. *Orig. Art.*, 805
Tandon, D. A., Deka, R. C., Chaudhary, C. and Misra, N. K. Giant cell tumour of the temporosphenoidal region. *Clin. Rec.*, 449
Tandon, D. A., Ghosh, P., Tickoo, S. K. and Bhargava, D. K. Gardner's syndrome presenting with proptosis. *Clin. Rec.*, 1036
Tang, S. O. and Tse, C. H. Leiomyoma of the nasal cavity. *Clin. Rec.*, 831
Tarantino, V., Moni, L., Verrina, E., Ciardi, M. R., Gusmano, R. and Raspino, M. The branchio-oto-renal syndrome. *Orig. Art.*, 138
Teh, W., Zeigler, E., Canter, R. J., Megarry, S., Pett, A. and Scarlett, A. The activity against yeasts of human cerumen. *Orig. Art.*, 671
Terry, R. M. and Lannigan, F. J. Pericarditis and peritonitis secondary to otitis media. *Clin. Rec.*, 717
Terry, R. M., Bellini, M. J. and Peel, R. N. Chlamydia: Its influence in chronic secretory otitis media. *Orig. Art.*, 673
Terry, R. M., Lannigan, F. J. and Newbegin, C. J. R. An unusual subcutaneous neck lump. *Clin. Rec.*, 385
Thijssen, H. O. M., Manni, J. J., Merx, J. L. and van den Broek, P. Asymptomatic venous anomaly of the parotid gland. *Clin. Rec.*, 565
Thomas, P. L., John, D. G. and Carlin, W. V. The effect of inferior turbinate outfracture on nasal resistance to airflow in vasomotor rhinitis assessed by rhinomanometry. *Orig. Art.*, 144
Thomas, P. L., Kasanzew, M., John, D. G., Newman, P. and Lesser, T. J. N. Chondrosarcoma of the epiglottis. *Clin. Rec.*, 374
Thomas, P. L., Semeraro, D. and John, D. G. Tonsillar haemorrhage and measles. *Clin. Rec.*, 64
Tickoo, S. K., Bhargava, D. K., Tandon, D. A. and Ghosh, P. Gardner's syndrome presenting with proptosis. *Clin. Rec.*, 1036
Timms, M., Canty, P. and Williamson, I. G. A new cryoprobe with advantages in turbinate freezing. *Orig. Art.*, 503
Timms, M. S., Farrington, W. T. and Keith, A. A new laryngeal instrument for laser microsurgery. *Clin. Rec.*, 554
Timms, M. S., Sloan, P. and Pace Balzan, A. Idiopathic plasmacytosis of the oral and supraglottic mucosa. *Clin. Rec.*, 646
Tiwari, R., Cervico-occipital flap for replacement of neck skin. *Orig. Art.*, 341
Tolley, N. S., Eccles, R., Griffiths, D. H. and Newton, C. G. The effects of D and L Isomers of Menthol upon nasal sensation of airflow. *Orig. Art.*, 506
Tomita, K., Uemura, T., Matsushima, T., Fukui, M. and Nakashima, T. Accessory nerve schwannoma extending extracranially to the second cervical level vertebra. *Clin. Rec.*, 959
Toner, J. G., Stewart, T. J., Kwok, O., Campbell, J. B., Hunter, J. and McIlwain, J. C. The flora of the tonsil and post-operative fossa in adult tonsillectomy patients. *Orig. Art.*, 598
Toppazada, H. The human nasal mucosa in the menopause. *Orig. Art.*, 314
Toppozada, H. Chronic Streptococcus pyogenes tonsillitis, with rheumatic arthritis and myocarditis. *Orig. Art.*, 697
Toppozada, H. Haemolytic streptococcus infection of chronic maxillary sinusitis: An immunological study using the skin window test. *Orig. Art.*, 890
Tovi, F., Hirsch, M. and Gatot, A. Superior vena cava syndrome: presenting symptoms of silent otitis media. *Clin. Rec.*, 623
Traub, P. and Yaniv, E. Traumatic perilymphatic fistulae of the lateral semicircular canal. *Clin. Rec.*, 521
Trott, P. A., Shaw, H. J. and Mclean, N. R. Fine needle aspiration of the larynx. *Orig. Art.*, 815
Tse, C. H. and Tang, S. O. Leiomyoma of the nasal cavity. *Clin. Rec.*, 831
Tveteras, K., Hein, P., Poulsen, M. B., Outzen, K. E. and Kristensen, S. Relief of pain and trismus in patients treated with naproxen or acetylsalicylic acid after tonsillectomy. *Orig. Art.*, 39
Tveterås, K., Kristensen, S. and Dommerby, H. Septic cavernous and lateral sinus thrombosis. *Orig. Art.*, 877
Tyrrell, C. J., Daniel, F., Mancero, F. S. M. and Conrad, J. G. Stage I Hodgkin's disease of the nasopharynx. *Clin. Rec.*, 1179

Uemura, T., Matsushima, T., Fukui, M., Nakashima, T. and Tomita, K. Accessory nerve schwannoma extending extracranially to the second cervical level vertebra. *Clin. Rec.*, 959
Uppal, P. K., Bhargava, K. B., Shirali, G. N. and Savant, R. A. Toothbrush: an unusual foreign body in ENT practice. *Clin. Rec.*, 1068

Valdes, M. E., Myssiorek, D. J. and Silver, C. E. Schwannoma of the cervical sympathetic chain. *Clin. Rec.*, 962
Vallis, R. C. and Garfield Davies, D. Angiolymphoid hyperplasia of the head and neck. *Clin. Rec.*, 100
Vargö, A.-K., Lindqvist, N., Hartwig, S., Lindén, M. and Laurent, C. Budesonide nasal spray as prophylactic treatment after polypectomy. *Orig. Art.*, 148
Variend, S. and Lyons, T. J. Posterior cleft larynx associated with hamartoma. *Clin. Rec.*, 471
Veitch, D. Y., Quiney, R. E. and Rogers, M. J. C. Intraorbital dermoid: An ophthalmological problem solved by an ENT approach. *Clin. Rec.*, 541
Verma, S. K., Saxena, S. and Dhingra, P. L. Aneurysm of the internal carotid artery presenting as a parapharyngeal mass. *Clin. Rec.*, 654
Verrina, E., Ciardi, M. R., Gusmano, R., Raspino, M., Tarantino, V. and Moni, L. The branchio-oto-renal syndrome. *Orig. Art.*, 138
Viborg Jensen, O. and Pedersen, U. Fractures in polyvinyl chloride tracheostomy tubes. *Clin. Rec.*, 380
Violaris, N. S. and Bridger, M. The use of sputum-trap in the collection of antral washout specimen during antroscopy. *Clin. Rec.*, 540
Violaris, N. S. and Jonathan, D. A. Comparison of cocaine and lignocaine as intranasal local anaesthetics. *Clin. Rec.*, 628
Violaris, N. S. Intractable aspiration in a young child and its surgical management. *Clin. Rec.*, 1060
van den Broek, P., Thijssen, H. O. M., Manni, J. J. and Merx, J. L. Asymptomatic venous anomaly of the parotid gland. *Clin. Rec.*, 565
van Olphen, A. F., Lubsen, H. and van 'T. Verlaat, J. W. An inverted papilloma with intracranial extension. *Clin. Rec.*, 534
van 'T. Verlaat, J. W., van Olphen, A. F. and Lubsen, H. An inverted papilloma with intracranial extension. *Clin. Rec.*, 534
von Arx, D. and Carr, R. J. Displaced tooth mimicking a tonsillolith. *Clin. Rec.*, 652

Wackym, P. A. and Abdul-Rasool, I. H. Prospective management of malignant hyperthermia in the otolaryngological patient. *Orig. Art.*, 513
Wah Yung, M. and Soliman, A. M. Changes in the brainstem evoked responses following jugular vein ligation. *Orig. Art.*, 861
Wake, M., Nar, P., Egan, M., Newman, J. and Crocker, J. Ectopic production of beta-human chorionic gonadotrophin by inverted papilloma of the nose. *Orig. Art.*, 29
Wake, M., Pearman, K. and Campbell, J. B. Spontaneous perforation of the pharynx/oesophagus. *Clin. Rec.*, 549
Walby, Peter A. Cerebrospinal otorrhoea—a temporal bone report. *Orig. Art.*, 399
Waldron, J. and Mitchell, D. B. Unusual presentations of extramedullary plasmacytoma in the head and neck. *Clin. Rec.*, 102
Wallace, C. E. and Proctor, H. M. Head and neck oncology service—one year's work. *Orig. Art.*, 428
Wallace, C., Ramsey, A. D. and Quiney, R. E. Non-Hodgkin's extranodal lymphoma: a clinico-pathological study of 24 cases involving head and neck sites. *Orig. Art.*, 914
Walsh, M. A. and McShane, D. P. Nasal granuloma gravidarum. *Clin. Rec.*, 828
Walsh, M., Lee, R. J., O'Dwyer, T. P. and Sleeman, D. Dental disease, acute sinusitis and the orthopantomogram. *Orig. Art.*, 222
Walsh, S. S. and Robson, W. G. Spontaneous passage of a submandibular salivary calculus in a child. *Clin. Rec.*, 1052

Walter, C. The evolution of rhinoplasty. *Orig. Art.*, 1079
Watanabe, I., Ichinohasama, R., Hasegawa, M., Ebihara, H., Shibusawa, M., Watanabe, K., Harada, H. and Oku, T. Pleomorphic adenoma of the trachea. *Clin. Rec.*, 560
Watanabe, K., Harada, H., Oku, T., Watanabe, I., Ichinohasama, R., Hasegawa, M., Ebihara, H. and Shibusawa, M. Pleomorphic adenoma of the trachea. *Clin. Rec.*, 560
Watkinson, J. C., Hornung, E. A. and Fagg, N. L. K. Cat scratch disease: An unusual cause of acute parotid pain. *Clin. Rec.*, 562
Watkinson, J. C., Searle, A. and Fagg, N. L. K. Hypopharyngeal carcinomatosis, large bowel obstruction and a gastrobronchial fistula. *Clin. Rec.*, 67
Watson, C. and Mangat, K. S. A comparison of audiometric performance and complications of T tubes and Shepard grommets. *Orig. Art.*, 677
Watson, C. Ischaemic necrosis of the tongue. *Clin. Rec.*, 368
Watson, C. Laryngeal oedema complicating thyroid lymphoma. *Clin. Rec.*, 947
Watson, D. J. and Griffiths, M. V. The safety and efficacy of intra-nasal ethmoideotomy. *Orig. Art.*, 802
Watson, D. J. Nasal paraganglioma. *Clin. Rec.*, 526
Watson, M. G., Povey, L., Shenoi, P. M. and Campbell, J. B. Minitracheotomy and laryngeal function. *Orig. Art.*, 49
Wei, W. I., Choy, D., Shum, J., Engzell, U. C. G. and Lau, S. K. Brainstem auditory evoked potentials after irradiation of nasopharyngeal carcinoma. *Clin. Rec.*, 1142
Wei, W. I., Lund, V. J. and Howard, D. J. Serous otitis media in malignancies of the nasopharynx and maxilla. *Orig. Art.*, 129
Wennmo, C., Spandow, O., Emgård, P. and Krouthén, B. Pleomorphic adenomas of the parotid gland. *Orig. Art.*, 603
West, P. D. B. Relapsing polychondritis. *Clin. Rec.*, 254
Wetteland, J., Kolbenstvedt, A., Boysen, M. Y., Scott, H. and Hovig, T. Rhabdomyoma of the tongue. *Clin. Rec.*, 1185
Whittet, H. B. and Quiney, R. E. Middle turbinate osteoma; an unusual cause of nasal obstruction. *Clin. Rec.*, 359
Whittet, H. B. and Quiney, R. E. Nasal manifestations of yaws. *Clin. Rec.*, 1147
Wickersham, J. K., Grace, A. R., Bailey, C. M., Preece, J. M. and Kearns, D. B. Nasal lipoma. *Clin. Rec.*, 1044
Wickham, M. H. and Barton, R. P. E. Nasal regurgitation as the presenting symptom of rhinolithiasis. *Clin. Rec.*, 59
Wickham, M. H., Barton, R. P. E. and Forrest, A. W. Use of the fibreoptic laryngoscope in pharyngeal pouch surgery. *Orig. Art.*, 328
Wickstead, M., Choa, D. I., Leitch, R. N., Bailey, C. M., Evans, J. N. G. and Kearns, D. B. Computed tomography in choanal atresia. *Orig. Art.*, 414
Wickstead, M., Eykyn, S. J. and Grandsen, N. R. Meningitis after trans-sphenoidal excision of pituitary tumours. *Orig. Art.*, 33
Wig, U., Saini, A. S., Lal, H. and Singh, B. Serum immunoglobulin E levels in patients with head and neck cancer. *Orig. Art.*, 432
Wight, R. G., Harris, S. C., Shortland, J. R. and Shaw, J. D. Rhabdomyosarcoma of the nasopharynx: A case with recurrence of tumour after 20 years. *Clin. Rec.*, 1182
Wight, R. G., Jones, A. S. and Beckingham, E. Radical trimming of the inferior turbinates and its effect on nasal resistance to airflow. *Orig. Art.*, 694
Willat, D. J. and Yung, M. W. Prognostic factors in labyrinthectomy. *Orig. Art.*, 785
Willatt, D. J., Durham, L., Ramadan, M. F. and Bark-Jones, N. A prospective randomized trial of suture material in aural wound closure. *Orig. Art.*, 788
Williams, K. R. and Lesser, T. H. J. The tympanic membrane in cross section. *Orig. Art.*, 209
Williams, S. R. and Carruth, J. A. S. The role of the carbon dioxide laser in treatment of carcinoma of the tongue. *Orig. Art.*, 1122
Williamson, I. G. and Ramsden, R. T. Angiosarcoma of maxillary antrum—association with vinyl chloride exposure. *Clin. Rec.*, 464
Williamson, I. G., Timms, M. and Canty, P. A new cryoprobe with advantages in turbinate freezing. *Orig. Art.*, 503
Wood, C. and Miettinen, I. Why you should have a hearing therapist. *Orig. Art.*, 142
Woodhead, C. J. Recurrent facial palsy at high altitude. *Clin. Rec.*, 718
Woodhead, J., Das Gupta, A. R. and Parker, D. A. Pectoralis major flaps: Functional aspects of the repair of oral and oropharyngeal resections. *Orig. Art.*, 509
Woodhead, P. and Robinson, P. J. Primary hyperparathyroidism presenting with a maxillary tumour and hydrocephalus. *Clin. Rec.*, 1164
Wright, J. L. W. and Herdman, R. Grommets and cholesteatoma in children. *Orig. Art.*, 1000
Wright, R. G., Stevens, J. C., Beckingham, E. and Jones, A. S. The nasal valve: A physiological and clinical study. *Orig. Art.*, 1089

Xie, Y., Chan, X. and Med, M. Nasopharyngeal carcinoma complicated by pseudohypertrophic osteoarthropathy. *Clin. Rec.*, 184

Yaniv, E. and Traub, P. Traumatic perilymphatic fistulae of the lateral semicircular canal. *Clin. Rec.*, 521
Ylikoski, J. Facial palsy after temporal bone fracture. *Orig. Art.*, 298
Young, J. A., Oates, J., Proops, D. W., Johnson, A. P. and Smallman, L. A. Fine needle aspiration cytology in the management ENT of patients. *Orig. Art.*, 909
Youngs, R. P., Gatland, D. and Brookes, J. Swallowed radiolucent dental prosthesis. *Clin. Rec.*, 71
Younos, M. and Chang, R. W. S. Chyle fistulae. *Clin. Rec.*, 384
Yung, M. W. and Willat, D. J. Prognostic factors in labyrinthectomy. *Orig. Art.*, 785

Zaman, K. and Borah, K. Myringoplasty with three meatal flaps. *Orig. Art.*, 777
Zeigler, E., Canter, R. J., Megarry, S., Pett, A., Scarlett, A. and Teh, W. The activity against yeasts of human cerumen. *Orig. Art.*, 671
Zirkin, H., Puterman, M., Fliss, D. M. and Sidi, J. Giant cementoblastoma simulating a peridental infection. *Clin. Rec.*, 264
Zito, F. and Roberto, M. Scar formation following impulse noise-induced mechanical damage to the organ of Corti. *Orig. Art.*, 2
Zohar, Y., Buller, N., Shvili, Y., Laurian, N. and Laurian, L. Delayed brainstem auditory evoked responses in diabetic patients. *Orig. Art.*, 857
Zohar, Y., Laurian, N., Shem Tov, Y. and Talmi, Y. Facial cutaneous fistula due to a foreign body in Wharton's duct. *Clin. Rec.*, 370
Zohar, Y., Laurian, N., Talmi, Y. P., Finkelstein, Y. and Shem Tov, Y. Scrofula revisited. *Clin. Rec.*, 387
Zohar, Y., Talmi, Y. and Kalmanovitch, M. Thyroid carcinoma, cataract and hearing loss in a patient after irradiation for facial hemangioma. *Clin. Rec.*, 91
Zohar, Y., Talmi, Y. P., Sador, R., Dulitzky, F. and Finkelstein, Y. Teratoma of the mastoid region in a newborn. *Clin. Rec.*, 1033

GENERAL

Accessory nerve schwannoma extending extracranially to the second cervical level vertebra—T. Nakashima, K. Tomita, T. Uemura, T. Matsushima and M. Fukui. *Clin. Rec.*, 959
Acquired tracheo-oesophageal fistula—A. Dev, P. Ghosh and R. C. Deka. *Clin. Rec.*, 378

Acromegaly—the mucosal changes within the nose and paranasal sinuses—D. W. Skinner and S. H. Richards. *Orig. Art.*, 1107
Actinomycosis of the nasopharynx: a complication of nasal surgery—J. E. Osborne, R. L. Blair, H. E. Christmas and H. McKenzie. *Clin. Rec.*, 639
Activity against yeasts of human cerumen, The—S. Megarry, A. Pett, A. Scarlett, W. Teh, E. Zeigler and R. J. Canter. *Orig. Art.*, 671
Acute and acute-on-chronic mastoiditis—T. J. Mathews. *Orig. Art.*, 115
Acute epiglottitis in adults—R. E. Stanley and T. S. Liang. *Orig. Art.*, 1017
Acute epiglottitis in children and adults. Nasotracheal intubation, tracheostomy or careful observation? Current status in Scandinavia—H. Arndal and U. K. Andreassen. *Orig. Art.*, 1012
Acute upper airway obstruction due to myxoedema and upper airway abnormalities—N. Stahl and A. Leiberman. *Clin. Rec.*, 733
Adjuvant chemotherapy in stage III and IV squamous cell carcinoma of the head and neck—A. Klima, T. Klippstein, L. Bergmann, S. Szepesi and C. V. Ilberg. *Orig. Art.*, 337
Aetiology of bilateral sensorineural deafness in children—V. K. Das. *Orig. Art.*, 975
Age, sex, ethnic origin and tonsillectomy—J. R. Moloney, D. G. John and C. Jagger. *Clin. Rec.*, 649
Ameloblastoma presenting as nasal obstruction—D. G. Keay, M. Small, A. I. G. Kerr and K. McLaren. *Clin. Rec.*, 530
Aneurysm of the internal carotid artery presenting as a parapharyngeal mass—P. L. Dhingra, S. K. Verma and S. Saxena. *Clin. Rec.*, 654
Angiolymphoid hyperplasia of the head and neck—R. C. Vallis and D. Garfield Davies. *Clin. Rec.*, 100
Angiomyolipoma of the nasal cavity—E. E. Dawlatly, J. T. Anim and A. Y. El-Hassan. *Clin. Rec.*, 1156
Angiosarcoma of maxillary antrum—association with vinyl chloride exposure—I. G. Williamson and R. T. Ramsden. *Clin. Rec.*, 464
Anhidrotic ectodermal dysplasia: an ENT presentation in infancy—S. T. Baer, I. H. Coulson and D. Elliman. *Clin. Rec.*, 458
Antibody response to Pneumococcal vaccination as related to tonsillectomy—A. Stjernquist-Desatnik and K. Prellner. *Orig. Art.*, 883
Antroscleroma—E. F. Saad. *Clin. Rec.*, 362
Assessment of permanent hearing impairment following radical megavoltage radiotherapy—R. A. Evans, K. C. Liu, T. Azhar and R. P. Symonds. *Orig. Art.*, 588
Asymptomatic venous anomaly of the parotid gland—J. J. Manni, J. L. Merx, P. van den Broek and H. O. M. Thijssen. *Clin. Rec.*, 565
Atypical histiocytic granuloma with eosinophilia—O. Ankjaergaard, K. D. Lawaetz and U. K. Andreassen. *Clin. Rec.*, 543
Auditory brain stem responses (ABR) in patients with acute severe closed head injuries—S. Elwany. *Orig. Art.*, 755

Bacterial tracheitis in a young adult—J. Ruddy. *Clin. Rec.*, 656
Bacteriology of mastoiditis—T. J. Mathews and S. P. Oliver. *Orig. Art.*, 397
Balance through the ages of man—P. Sidebotham. *Orig. Art.*, 203
Basal cell carcinoma of the middle-ear—a natural history—H. Z. Joachims and Y. Ben Arieh. *Clin. Rec.*, 932
BERA in the diagnosis of deafness in children: A retrospective survey of its use in a district general hospital—M. N. S. Purmessur and R. S. Singh. *Orig. Art.*, 981
Benign metastatic mixed tumours or unrecognized salivary carcinomas?—A. El-Naggar, J. G. Batsakis and S. Kessler. *Orig. Art.*, 810
Bilateral chylothorax following left radical neck dissection—A. Pace-Balzan and B. Moriarty. *Clin. Rec.*, 288
Bipedal myocutaneous flap for one-stage reconstruction of the cheek after cancer surgery—B. Baser and K. A. Pradhan. *Orig. Art.*, 601
Brainstem auditory evoked potentials after irradiation of nasopharyngeal carcinoma—S. K. Lau, W. I. Wei, D. Choy, J. Shum and U. C. G. Engzell. *Clin. Rec.*, 1142
Branchio-oto-renal syndrome, The—M. Raspino, V. Tarantino, L. Moni, E. Verrina, M. R. Ciardi and R. Gusmano. *Orig. Art.*, 138
Budesonide nasal spray as prophylactic treatment after polypectomy—S. Hartwig, M. Lindén, C. Laurent, A.-K. Vargö and N. Lindqvist. *Orig. Art.*, 148

Castleman's disease—an unusual neck mass—M. J. Gleeson, M. Cassidy and J. P. McMullin. *Clin. Rec.*, 661
Cat scratch disease: An unusual cause of acute parotid pain—J. C. Watkinson, E. A. Hornung and N. L. K. Fagg. *Clin. Rec.*, 562
Cerebrospinal otorrhoea—a temporal bone report—A. Peter Walby. *Orig. Art.*, 399
Ceruminous gland tumour—G. M. S. Ahmed and D. K. Deb Nath. *Clin. Rec.*, 346
Cervicomediastinal emphysema due to oral blast—D. M. Fliss, M. Puterman and A. Leiberman. *Clin. Rec.*, 105
Cervico-occipital flap for replacement of neck skin—R. Tiwari. *Orig. Art.*, 341
Changes in the brainstem evoked responses following jugular vein ligation—M. Wah Yung and A. M. Soliman. *Orig. Art.*, 861
Cherubism—M. C. Khalifa and R. A. Ibrahim. *Clin. Rec.*, 568
Chlamydia: Its influence in chronic secretory otitis media—M. J. Bellini, R. N. Peel and R. M. Terry. *Orig. Art.*, 673
Chlorine and the eustachian tube—M. G. Spencer. *Clin. Rec.*, 55
Cholesteatoma in children—J. Sadé and A. Shatz. *Orig. Art.*, 1003
Cholesterol granuloma of the maxillary antrum—H. Aker Gunes, A. Almac and E. Canbay. *Clin. Rec.*, 630
Chondrosarcoma of the epiglottis—M. Kasanzew, D. G. John, P. Newman, T. J. N. Lesser and P. L. Thomas. *Clin. Rec.*, 374
Chondrosarcoma of the sphenoid—G. J. E. M. Bates and R. C. D. Herdman. *Clin. Rec.*, 727
Chronic labyrinthine ischemia—M. Rubinstein, M. Hildesheimer and C. Muchnik. *Orig. Art.*, 496
Chronic muco-cutaneous candidiasis and oral neoplasia—M. McGurk and M. Holmes. *Clin. Rec.*, 643
Chronic Streptococcus pyogenes tonsillitis, with rheumatic arthritis and myocarditis—H. Toppozada. *Orig. Art.*, 697
Chyle fistulae—M. Younos and R. W. S. Chang. *Clin. Rec.*, 384
Clinical application of electrolaryngograph for speech rehabilitation in near-total laryngectomy with myo-mucosal valved neoglottis—W. Singh. *Orig. Art.*, 335
Clinical investigation of olfactory and auditory function in type I pseudo-hypoparathyroidism: participation of adenylate cyclase system—K. Ikeda, T. Sakurada, Y. Sasaki, T. Takasaka and Y. Furukawa. *Orig. Art.*, 1111
Comparison of audiometric performance and complications of T tubes and Shepard grommets, A—C. Watson and K. S. Mangat. *Orig. Art.*, 677
Comparison of cocaine and lignocaine as intranasal local anaesthetics—D. A. Jonathan and N. S. Violaris. *Clin. Rec.*, 628
Computed tomography in choanal atresia—D. B. Kearns, M. Wickstead, D. I. Choa, R. N. Leitch, C. Martin Bailey and J. N. G. Evans. *Orig. Art.*, 414
Congenital cholesteatoma—S. K. Sen Gupta, A. Dev and P. Ghosh. *Clin. Rec.*, 612
Congenital nasal stenosis in neonates—K. J. Knegt-Junk, C. E. Bos and R. N. P. Berkovits. *Orig. Art.*, 500
Contact sensitivity to gentamicin-hydrocortisone ear drops—P. M. Robinson. *Orig. Art.*, 577
Coronal CT examination in the evaluation of small fronto-ethmoidal encephalocoeles—E. Lunndorf, A. Kjeldgaard and H. Halaburt. *Orig. Art.*, 1119
Correlation of the sinoscopic appearance of the maxillary antrum with histological and bacteriological findings—M. C. F. Smith and H. R. Cable. *Orig. Art.*, 1086
Craniofacial resection for extensive paranasal sinus aspergilloma—R. E. Quiney, M. J. C. Rogers, R. N. Davidson and A. D. Cheesman. *Clin. Rec.*, 1172

Cranioplasty with Palacos R® in reconstruction of frontal sinus defects—W. Mann and A. A. El-Khatieb. *Clin. Rec.*, 824
Cricoid necrosis in laryngeal rheumatoid arthritis—D. J. Gatland, M. H. Keene and J. D. Brookes. *Clin. Rec.*, 271
CT sialography and conventional sialography in the evaluation of parotid gland neoplasms—L.-G. Hansson, C. C. Johansen and A. Björklund. *Orig. Art.*, 163
Cushing's syndrome due to the abuse of betamethasone nasal drops—D. J. Stevens. *Orig. Art.*, 219

Delayed brainstem auditory evoked responses in diabetic patients—N. Buller, Y. Shvili, N. Laurian, L. Laurian and Y. Zohar. *Orig. Art.*, 857
Dental disease, acute sinusitis and the orthopantomogram—R. J. Lee, T. P. O'Dwyer, D. Sleeman and M. Walsh. *Orig. Art.*, 222
Differential diagnosis of verrucous carcinoma in the oral cavity and larynx—M. Schrader and H. G. Laberke. *Orig. Art.*, 700
Displaced tooth mimicking a tonsillolith—D. von Arx and R. J. Carr. *Clin. Rec.*, 652
Down's syndrome with lingual tonsil hypertrophy producing sleep apnoea—D. E. Phillips and J. H. Rogers. *Clin. Rec.*, 1054

Early diagnosis of tuberculosis otitis media—O. Odetoyinbo. *Orig. Art.*, 133
Ectopic production of beta-human chorionic gonadotrophin by inverted papilloma of the nose—M. Egan, J. Newman, J. Crocker, M. Wake and P. Nar. *Orig. Art.*, 29
Ectopic thyroid malignancy in the midline of the neck—M. R. Laing and K. A. Mclay. *Clin. Rec.*, 93
Effect of inferior turbinate outfracture on nasal resistance to airflow in vasomotor rhinitis assessed by rhinomanometry, The—P. L. Thomas, D. G. John and W. V. Carlin. *Orig. Art.*, 144
Effect of inhaled steroids on the upper respiratory tract, The—S. Babu and P. Samuel. *Orig. Art.*, 592
Effect of vidian neurectomy on nasal mucociliary clearance, The—M. A. Greenstone, P. J. Stanley, I. S. Mackay and P. J. Cole. *Orig. Art.*, 894
Effects of D and L Isomers of Menthol upon nasal sensation of airflow, The—R. Eccles, D. H. Griffiths, C. G. Newton and N. S. Tolley. *Orig. Art.*, 506
Effects of different fixations on the distribution and numbers of mast cells in patients with nasal polyps, The—A. B. Drake-Lee, E. Chevreton and D. Lowe. *Orig. Art.*, 1099
Embryonal rhabdomyosarcoma of the sphenoid sinus—L. Durham, I. J. Mackenzie and P. Foy. *Clin. Rec.*, 836
Enlarged cervical lymph node due to African histoplasmosis—R. P. Rivron and E. G. V. Evans. *Clin. Rec.*, 945
Evolution of rhinoplasty, The—C. Walter. *Orig. Art.*, 1079
Exostosis of the internal auditory canal—H. T. Doan and J. S. Powell. *Clin. Rec.*, 173
Extensive granular cell tumour of the larynx and trachea—N. B. Solomons. *Clin. Rec.*, 658

Facial cutaneous fistula due to a foreign body in Wharton's duct—Y. Shem Tov, Y. Talmi, Y. Zohar and N. Laurian. *Clin. Rec.*, 370
Facial palsy after temporal bone fracture—J. Ylikoski. *Orig. Art.*, 298
Familial Treacher-Collins syndrome—P. S. Murty, P. Hazarika, B. Rajshekhar and G. K. Hebbar. *Clin. Rec.*, 620
Fibrous dysplasia of the temporal bone—A. B. P. M. Pouwels and C. W. R. J. Cremers. *Clin. Rec.*, 171
Fine needle aspiration cytology in the management ENT of patients—L. A. Smallman, J. A. Young, J. Oates, D. W. Proops and A. P. Johnson. *Orig. Art.*, 909
Fine needle aspiration of the larynx—H. J. Shaw, N. R. Mclean and P. A. Trott. *Orig. Art.*, 815
Flora of the tonsil and post-operative fossa in adult tonsillectomy patients, The—J. C. McIlwain, J. G. Toner, T. J. Stewart, O. Kwok, J. B. Campbell and J. Hunter. *Orig. Art.*, 598
Fluctuating hearing loss in presbyacusis—F. W. Martin and R. W. Ruckley. *Orig. Art.*, 25
Fractures in polyvinyl chloride tracheostomy tubes—O. Viborg Jensen and U. Pedersen. *Clin. Rec.*, 380

Gardner's syndrome presenting with proptosis—D. A. Tandon, P. Ghosh, S. K. Tickoo and D. K. Bhargava. *Clin. Rec.*, 1036
Giant cell tumour of the temporosphenoidal region—D. A. Tandon, R. C. Deka, C. Chaudhary and N. K. Misra. *Clin. Rec.*, 449
Giant cementoblastoma simulating a peridental infection—M. Puterman, D. M. Fliss, J. Sidi and H. Zirkin. *Clin. Rec.*, 264
Giant radicular cyst in the maxillary antrum presenting with chronic epiphora—S. T. Baer, A. Drysdale and V. Moore-Gillon. *Clin. Rec.*, 365
Globus hystericus; globus syndrome?—H. J. Puhakka and P. Kirveskari. *Orig. Art.*, 231
Globus pharyngeus—A. J. G. Batch. *Orig. Art.*, 152
Globus pharyngeus: (Part II), Discussion—A. J. G. Batch. *Orig. Art.*, 227
Glomus jugulare or tympanicum?—P. D. Phelps and J. M. Stansbie. *Orig. Art.*, 766
Grommets and cholesteatoma in children—R. Herdman and J. L. W. Wright. *Orig. Art.*, 1000

Haemangioma of the maxilla—L. M. Ghosh, A. Samanta, T. Nandy and S. Das. *Clin. Rec.*, 725
Haemangiopericytoma of the nasal septum—S. Al-Khalifa, K. O. Paulose, P. Shenoy and R. K. Sharma. *Clin. Rec.*, 1161
Haemangiopericytoma of the submandibular gland—G. Pagliaro, P. Poli, G. Ralza and G. Grandi. *Clin. Rec.*, 97
Haemolytic streptococcus infection of chronic maxillary sinusitis: An immunological study using the skin window test—H. Toppozada. *Orig. Art.*, 890
Head and neck oncology service—one year's work—H. M. Proctor and C. E. Wallace. *Orig. Art.*, 428
Hearing impairment and the Kearns-Sayre syndrome—A. C. Swift and S. D. Singh. *Clin. Rec.*, 626
Human nasal mucosa in the menopause, The—H. Toppazada. *Orig. Art.*, 314
Hyperextension fracture of the hyoid bone—N. D. Padgham. *Clin. Rec.*, 1062
Hypopharyngeal carcinomatosis, large bowel obstruction and a gastrobronchial fistula—J. C. Watkinson, A. Searle and N. L. K. Fagg. *Clin. Rec.*, 67

Idiopathic facial nerve palsy—C. A. J. Prescott. *Orig. Art.*, 403
Idiopathic plasmacytosis of the oral and supraglottic mucosa—M. S. Timms, P. Sloan and A. Pace Balzan. *Clin. Rec.*, 646
Impedance screening for otitis media with effusion in Nigerian children—F. O. Ogisi. *Orig. Art.*, 986
Improved stent for use in the surgical management of congenital posterior choanal atresia, An—N. Bartal. *Orig. Art.*, 146
Improved technique for the study of immunofluorescence using non-decalcified frozen guinea pig cochlea, An—A. M. Soliman. *Orig. Art.*, 215
Indian contribution to rhinoplasty, The—D. J. Brain. *Orig. Art.*, 689
Induction cytotoxic chemotherapy: The significance of apparent clinical regression after using the Price Hill schedule A protocol for squamous carcinoma of the head and neck—H. J. Shaw. *Orig. Art.*, 1133
Inferior turbinectomy—P. J. D. Dawes. *Orig. Art.*, 590
Influence of spinal puncture and injection on VIIIth nerve function—P. A. J. Hardy. *Clin. Rec.*, 452

Influence of topical phenylpropanolamine on tachyphylaxis and mucociliary clearance in the human nose—K. Holmberg and M. Bende. *Orig. Art.*, 408
Ingenious mucus trap, An—K. Harrop-Griffiths and N. R. McLean. *Clin. Rec.*, 291
Interest in frozen section examination of margins and lymph nodes in laryngeal surgey—M. Remacle, M. Hamoir, E. Marbaix, N. Deggouj and Y. Frederickx. *Orig. Art.*, 818
Intracranial aerocoele due to micropaque barium—S. Somjee and I. J. Mackenzie. *Clin. Rec.*, 267
Intractable aspiration in a young child and its surgical management—N. S. Violaris. *Clin. Rec.*, 1060
Intraorbital dermoid: An ophthalmological problem solved by an ENT approach—M. J. C. Rogers, D. Y. Veitch and R. E. Quiney. *Clin. Rec.*, 541
Intratemporal vascular tumours—A. Mazzoni, R. Pareschi and V. Calabrese. *Clin. Rec.*, 353
Intratracheal thyroid—A. Ferlito, L. Giarelli and F. Silvestri. *Clin. Rec.*, 95
Intubation trauma—J. E. Davies, T. H. J. Lesser and M. A. Cobley. *Orig. Art.*, 822
Inverted papilloma with intracranial extension, An—A. F. van Olphen, H. Lubsen and J. W. van Verlaat. *Clin. Rec.*, 534
Ipratropium bromide in the treatment of the 'rhinorrhoea syndrome'—T. P. O'Dwyer, R. J. Lee, J. Kaye and G. Fennell. *Orig. Art.*, 799
Ischaemic necrosis of the tongue—C. Watson. *Clin. Rec.*, 368

Jugulotympanic paraganglioma (Glomus jugulare tumour) presenting as a parotid neoplasm—J. T. Brandrick, A. R. Das Gupta and R. Singh. *Clin. Rec.*, 741

Kaposi's sarcoma of the trachea—K. Rajaratnam and S. Desai. *Clin. Rec.*, 951
Kikuchi's disease—Apparent malignancy of a neck mass—J. G. Buckley, A. Hinton and C. Allen. *Clin. Rec.*, 941

Laryngeal cysts: clinical relevance of a modified working classification—K. Ramesar and C. Albizzati. *Orig. Art.*, 923
Laryngeal granuloma—an unusual presentation of AIDS—S. D. Desai and K. Rajaratnam. *Clin. Rec.*, 372
Laryngeal oedema complicating thyroid lymphoma—C. Watson. *Clin. Rec.*, 947
Laryngeal stridor due to odontoid peg subluxation—D. S. Brooker. *Clin. Rec.*, 473
Laryngoplasty: results and problems after the creation of a neoglottis—A. Klima and C. V. Ilberg. *Orig. Art.*, 43
Laryngo-tracheal stenosis in frontometaphyseal dysplasia—J. M. Leggett. *Clin. Rec.*, 74
Laryngo-tracheo-bronchial foreign bodies in children—A. Banerjee, K. S. V. K. Subba Rao, S. K. Khanna, P. S. Narayanan, B. K. Gupta, J. C. Sekar, C. Rajarathinan and M. Nachiappan. *Orig. Art.*, 1029
Late response of verrucous carcinoma of the larynx to radiotherapy—G. S. Barr, J. Osborne and J. R. M. Simpson. *Clin. Rec.*, 276
Lateral sinus pathology—T. J. Mathews. *Orig. Art.*, 118
Leiomyoma of the nasal cavity—S. O. Tang and C. H. Tse. *Clin. Rec.*, 831
Liposarcoma of the larynx—R. Gertner, L. Podoshin, M. Fradis, I. Misselevitch and J. Boss. *Clin. Rec.*, 838
Local anaesthetic with vascoconstrictor combinations in septal surgery—L. G. McClymont and J. A. Crowther. *Orig. Art.*, 793
Local iatrogenic complications in nasopharyngeal rhinoscleroma—E. E. Dawlatly, J. T. Anim and M. E. Baraka. *Orig. Art.*, 1115
Local rifampicin in treatment of rhinoscleroma—A. M. Gamea. *Orig. Art.*, 319
Localization of salivary amylase and epithelial membrane antigen in salivary gland tumours by means of immunoperoxidase and immunogold-silver techniques—M. Egan, J. Crocker and P. Nar. *Orig. Art.*, 242
Long-term ototoxic effects of neomycin applied topically in the middle ear—D. Morais, M. González, R. Del Villar and M. J. Gayoso. *Orig. Art.*, 304
Long-term presence of a denture fragment in the airway—A. Poukkula, E.-M. Ruotsalainen, K. Jokinen, A. Palva and J. Nuorviita. *Clin. Rec.*, 190
Low grade polymorphous adenocarcinoma of a minor salivary gland—C. M. Scally, S. T. Irwin and N. Nirodi. *Clin. Rec.*, 284
Lymphoplasmacytic lymphoma of the larynx, soft palate and nasal cavity—R. C. Bickerton and M. J. Brockbank. *Clin. Rec.*, 468

Malakoplakia of the parotid gland—J. C. Dale and R. A. Robinson. *Clin. Rec.*, 737
Malignant external otitis—J. M. Leggett and K. Prendergast. *Clin. Rec.*, 53
Malignant otitis externa due to Staphylococcus infection—D. G. Keay and J. A. M. Murray. *Clin. Rec.*, 926
Mandibular pathology presenting as a parotid tumour—J. Ling and D. Barnard. *Orig. Art.*, 896
Maxillary chondrosarcoma—G. Massarelli, L. Gandolfo, F. Tanda, F. Ghiselli and V. Manunta. *Clin. Rec.*, 177
Medical management of active chronic otitis media—G. G. Browning, S. Gatehouse and I. T. Calder. *Orig. Art.*, 491
Melanoma metastatic to the head and neck—M. L. L. Harries. *Clin. Rec.*, 842
Meningitis after trans-sphenoidal excision of pituitary tumours—N. R. Grandsen, M. Wickstead and S. J. Eykyn. *Orig. Art.*, 33
Merkel-cell carcinoma of the pinna—G. S. Hanna, M. H. Ali, A. B. Akosa and E. J. Maher. *Clin. Rec.*, 608
Middle ear effusion—A theoretical neuro mechanical hypothesis—R. Raman. *Orig. Art.*, 10
Middle ear effusions and myasthenia gravis—B. J. O'Reilly. *Clin. Rec.*, 169
Middle turbinate osteoma; an unusual cause of nasal obstruction—H. B. Whittet and R. E. Quiney. *Clin. Rec.*, 359
Middle-ear damage caused by a defective portable headphone—H. Arndal and A. Bomholt. *Clin. Rec.*, 715
Minitracheotomy and laryngeal function—J. B. Campbell, M. G. Watson, L. Povey and P. M. Shenoi. *Orig. Art.*, 49
Mobility of the tragus—J. H. Neame. *Clin. Rec.*, 252
Modification of the MacFee incisions for neck dissection, A—H. J. Shaw. *Orig. Art.*, 1124
Moebius' syndrome—M. N. Jamal, N. S. Samara and M. T. A. Al-Lozi. *Clin. Rec.*, 350
Monoclonal antibodies against epithelial antigens in laryngeal carcinomas—G. Cortesina, G. P. Cavallo, M. Macario, E. Poggio, M. Cerrato, M. Prat and G. Bussolati. *Orig. Art.*, 709
Mucoepidermoid carcinoma of the trachea—H. Said, K. S. Phang and A. G. Gibb. *Clin. Rec.*, 83
Myringoplasty with three meatal flaps—K. Zaman and K. Borah. *Orig. Art.*, 777

Nasal granuloma gravidarum—D. P. McShane and M. A. Walsh. *Clin. Rec.*, 828
Nasal involvement in systemic amyloidosis—S. P. Dubey, Y. N. Mehra, A. K. Banerjee, S. B. S. Mann, K. Garge and V. I. Nehru. *Clin. Rec.*, 1153
Nasal lipoma—J. M. Preece, D. B. Kearns, J. K. Wickersham, A. R. Grace and C. M. Bailey. *Clin. Rec.*, 1044
Nasal manifestations of yaws—H. B. Whittet and R. E. Quiney. *Clin. Rec.*, 1147
Nasal mucosal blood flow in patients with diabetes mellitus—S. Löth, A. Löth and M. Bende. *Orig. Art.*, 791
Nasal paraganglioma—D. J. Watson. *Clin. Rec.*, 526
Nasal regurgitation as the presenting symptom of rhinolithiasis—M. H. Wickham and R. P. E. Barton. *Clin. Rec.*, 59
Nasal septal carcinoma: initial symptom of nasal septal perforation—M. Echeverria-Zumarraga, C. Kaiser and C. Gavilan. *Clin. Rec.*, 834
Nasal valve: A physiological and clinical study, The—A. S. Jones, R. G. Wright, J. C. Stevens and E. Beckingham. *Orig. Art.*, 1089

Nasopharyngeal angiofibroma—D. A. Tandon, S. Bahadur, S. K. Kacker and R. K. Goulatia. *Orig. Art.*, 805
Nasopharyngeal carcinoma complicated by pseudohypertrophic osteoarthropathy—X. Chan, M. Med and Y. Xie. *Clin. Rec.*, 184
Nasopharyngeal cyst—P. M. Robinson. *Clin. Rec.*, 182
NED survival in head and neck cancer—A. A. Narula, C. J. Padfield, D. A. L. Morgan, K. A. MacLennan and P. J. Bradley. *Clin. Rec.*, 194
Necrotizing external otitis treated with ciprofloxacin—F. Sabater, J. Mensa, J. Doménech, M. Loncá and M. Carulla. *Clin. Rec.*, 606
Necrotizing otitis externa—A. D. Couldery and P. L. Sharma. *Clin. Rec.*, 713
Neurofibromas of the paranasal sinuses—D. J. Stevens and N. Kirkham. *Clin. Rec.*, 256
New cryoprobe with advantages in turbinate freezing, A—I. G. Williamson, M. Timms and P. Canty. *Orig. Art.*, 503
New laryngeal instrument for laser microsurgery, A—A. Keith, M. S. Timms and W. T. Farrington. *Clin. Rec.*, 554
Non-Hodgkin's extranodal lymphoma: a clinico-pathological study of 24 cases involving head and neck sites—C. Wallace, A. D. Ramsey and R. E. Quiney. *Orig. Art.*, 914
Non-Hodgkins lymphoma of the temporal bone—A. Nicholaides, D. J. McFerran and G. Croxson. *Clin. Rec.*, 928

Obliteration of mastoid cavities using bone pâté—N. B. Solomons and J. M. Robinson. *Orig. Art.*, 783
Oculomotor findings in autistic children—U. Rosenhall, E. Johansson and C. Gillberg. *Orig. Art.*, 435
Odontogenic keratocyst involving the maxillary antrum—P. Shenoy, K. O. Paulose, S. Al Khalifa and R. K. Sharma. *Clin. Rec.*, 1168
Oesophageal carcinoma: endoscopic and clinical findings in 258 patients—H. J. Puhakka and K. Aitsalo. *Orig. Art.*, 1137
Osteoclast-type giant cell neoplasms of the parotid gland—J. G. Batsakis, N. G. Ordonez, P. A. Sevidal and J. R. Baker. *Orig. Art.*, 901
Osteogenic sarcoma of the ethmoid sinus—C. Bradley, L. G. McClymont and R. Reid. *Clin. Rec.*, 1176
Osteopetrosis (marble bone disease)—agenesis of paranasal sinuses—K. O. Paulose, S. Al Khalifa, P. K. Shenoy, S. Harris and R. K. Sharma. *Clin. Rec.*, 1047
Otogenic intradural complications—T. J. Mathews and G. Marus. *Orig. Art.*, 121
Otology at the crossroads—A. W. Morrison. *Orig. Art.*, 751
Otoneurological aspects of pontine hematoma—R. Albera, F. Pia, M. Bussi, S. Lucisano and P. Mortara. *Clin. Rec.*, 453
Otopathology of Egyptian mummy Pum II—J. P. Benitez . *Orig. Art.*, 485
Otosclerosis—an inflammatory disease of the otic capsule of viral aetiology—W. Arnold and I. Friedmann. *Orig. Art.*, 865
Ototoxicity of ethacrynic acid—L. P. Rybak. *Clin. Rec.*, 518
Outcome of different management patterns for vocal cord nodules, The—J. M. Lancer, D. Syder, A. S. Jones and A. Le Boutillier. *Orig. Art.*, 423

Papillary endothelial hyperplasia in the nose—D. J. Stevens. *Clin. Rec.*, 935
Parental smoking and middle ear effusions in children—A. E. Hinton and G. Buckley. *Orig. Art.*, 992
Pectoralis major flaps: Functional aspects of the repair of oral and oropharyngeal resections—D. A. Parker, J. Woodhead and A. R. Das Gupta. *Orig. Art.*, 509
Perforations of the tympanic membrane following the use of Goode-Type 'long term' tympanostomy tubes—M. R. Hawthorn and A. J. Parker. *Orig. Art.*, 997
Pericarditis and peritonitis secondary to otitis media—F. J. Lannigan and R. M. Terry. *Clin. Rec.*, 717
Perinatal salivary gland tumours (Embryomas)—J. G. Batsakis, B. Mackay, A. F. Ryka and R. W. Seifert. *Orig. Art.*, 1007
Peripheral nerve involvement in acute Bell's palsy—F. Abdel-Baki, H. Moghazi, A. Eassa and F. Talaat. *Clin. Rec.*, 447
Plasma cell granuloma of the larynx—C. Albizzati, K. C. R. B. Ramesar and B. C. Davis. *Clin. Rec.*, 187
Plasmacytoma of the nose with intracranial extension—J. N. Chaudhuri, B. B. Khatri and P. Chatterji. *Clin. Rec.*, 538
Pleomorphic adenoma arising in accessory salivary tissue with constriction of Stensen's duct—J. Kronenberg, A. Horowitz and D. Creter. *Clin. Rec.*, 382
Pleomorphic adenoma of the trachea—M. Hasegawa, H. Ebihara, M. Shibusawa, K. Watanabe, H. Harada, T. Oku, I. Watanabe and R. Ichinohasama. *Clin. Rec.*, 560
Pleomorphic adenomas of the parotid gland—C. Wennmo, O. Spandow, P. Emgård and B. Krouthén. *Orig. Art.*, 603
Posterior cleft larynx associated with hamartoma—T. J. Lyons and S. Variend. *Clin. Rec.*, 471
Post-tonsillectomy analgesia: The use of benzocaine lozenges—J. H. Dempster. *Orig. Art.*, 813
Primary hyperparathyroidism presenting with a maxillary tumour and hydrocephalus—P. J. Robinson and P. Woodhead. *Clin. Rec.*, 1164
Primary nasal tuberculosis masquerading as a malignant tumour—D. W. Sim and J. A. Crowther. *Clin. Rec.*, 1150
Pritt Tak: Another hazard of grommets and swimming—D. R. Clark. *Clin. Rec.*, 1039
Prognostic factors in labyrinthectomy—D. J. Willat and M. W. Yung. *Orig. Art.*, 785
Prognostic factors in otitis media with effusion—P. M. Robinson. *Orig. Art.*, 989
Prospective management of malignant hyperthermia in the otolaryngological patient—P. A. Wackym and I. H. Abdul-Rasool. *Orig. Art.*, 513
Prospective randomized trial of suture material in aural wound closure, A—D. J. Willatt, L. Durham, M. F. Ramadan and N. Bark-Jones. *Orig. Art.*, 788
Pseudocyst of the auricle—A. Job, T. S. Bhani, R. Mathai and R. Raghaven. *Clin. Rec.*, 344
Pseudomonas vaccination in chronic ear disease—S. K. Kent and R. Jones. *Orig. Art.*, 579
Pseudoparasitic (Liesegang) bodies in paranasal sinus—N. Sneige, J. G. Batsakis, R. A. Hawkins and H. P. Doble II. *Clin. Rec.*, 730
Pseudosarcoma of the oesophagus—D. G. John, S. S. Cross and M. S. Lewis. *Clin. Rec.*, 954

Radical trimming of the inferior turbinates and its effect on nasal resistance to airflow—R. G. Wight, A. S. Jones and E. Beckingham. *Orig. Art.*, 694
Rare mid-line congenital anomalies of the face—M. Mokhtar Farag, A. Ragaie and M. A. El-Ot-eify. *Clin. Rec.*, 1040
Rationalization of peritonsillar abscess as an indication for tonsillectomy—J. W. A. Curley and G. J. Bates. *Orig. Art.*, 37
Reconstruction of the pharynx after laryngectomy and partial pharyngectomy—N. D. Stafford and R. N. Matthew. *Orig. Art.*, 45
Recurrent facial palsy at high altitude—C. J. Woodhead. *Clin. Rec.*, 718
Recurrent respiratory papillomatasis—B. Benjamin and D. S. Parsons. *Orig. Art.*, 1022
Relapsing malignant otitis externa successfuly treated with ciprofloxacin—G. A. J. Morrison and C. M. Bailey. *Orig. Art.*, 872
Relapsing polychondritis—P. D. B. West . *Clin. Rec.*, 254
Relief of pain and trismus in patients treated with naproxen or acetylsalicylic acid after tonsillectomy—S. Kristensen, K. Tveteras, P. Hein, M. B. Poulsen and K. E. Outzen. *Orig. Art.*, 39
Reopening of the closed nostril in atrophic rhinitis—A. K. Gadre, R. Savant, K. C. Gadre, K. B. Bhargava and R. V. Juvekar. *Orig. Art.*, 411
Repair of defects in the head and neck region with the latissimus dorsi myocutaneous flap, The—C. R. Choudhury, N. R. McLean, K. Harrop-Griffiths and N. M. Breach. *Orig. Art.*, 1127
Retropharyngeal abscess complicating a neck wound—J. M. Pickles. *Clin. Rec.*, 552
Revision stapes surgery—B. K. Bhandwaj and S. K. Kacker. *Orig. Art.*, 20

Rhabdomyoma of the tongue—M. Y. Boysen, H. Scott, T. Hovig, J. Wetteland and A. Kolbenstvedt. *Clin. Rec.*, 1185
Rhabdomyosarcoma of the middle ear and mastoid in children—H. Said, K. S. Phang, A. Razi, R. Khuzaiyah, P. H. Patawari and R. Esa. *Clin. Rec.*, 614
Rhabdomyosarcoma of the nasopharynx: A case with recurrence of tumour after 20 years—R. G. Wight, S. C. Harris, J. R. Shortland and J. D. Shaw. *Clin. Rec.*, 1182
Rhabdomyosarcoma of the trachea—A. Kedar, G. Cantrel and G. Rosen. *Clin. Rec.*, 735
Role of fine needle aspiration biopsy in head and teck tumours—G. Raju, P. K. Kakar, D. K. Das, P. L. Dhingra and S. Bhambhani. *Orig. Art.*, 248
Role of the carbon dioxide laser in treatment of carcinoma of the tongue, The—S. Rhys Williams and J. A. S. Carruth. *Orig. Art.*, 1122
Ruthenium red staining of the endolymphatic sac in the guinea pig—M. Takumida, D. Bagger-Sjöbäck and H. Rask-Anderson. *Orig. Art.*, 760

Safety and efficacy of intra-nasal ethmoidectomy, The—D. J. Watson and M. V. Griffiths. *Orig. Art.*, 802
Scar formation following impulse noise-induced mechanical damage to the organ of Corti—M. Roberto and F. Zito. *Orig. Art.*, 2
Schwannoma of the cervical sympathetic chain—D. J. Myssiorek, C. E. Silver and M. E. Valdes. *Clin. Rec.*, 962
Scrofula revisited—Y. P. Talmi, Y. Finkelstein, Y. Shem Tov, Y. Zohar and N. Laurian. *Clin. Rec.*, 387
Septic cavernous and lateral sinus thrombosis—K. Tveterås, S. Kristensen and H. Dommerby. *Orig. Art.*, 877
Septoplasty and/or submucous resection?—O. Fjeremedal, C. Saunte and S. Pedersen. *Orig. Art.*, 796
Serous otitis media in malignancies of the nasopharynx and maxilla—W. I. Wei, V. J. Lund and D. J. Howard. *Orig. Art.*, 129
Serum immunoglobulin E levels in patients with head and neck cancer—H. Lal, B. Singh, U. Wig and A. S. Saini. *Orig. Art.*, 432
Severe late-onset epistaxis following Le Fort I osteotomy: angiographic localization and embolization—N. B. Solomons and R. Blumgart. *Clin. Rec.*, 260
Simple surgical technique and a new prosthesis for voice rehabilitation after laryngectomy, A—W. Singh. *Orig. Art.*, 332
Some complications of tracheo-oesophageal puncture for voice restoration—J. W. A. Curley and G. M. O'Donoghue. *Clin. Rec.*, 558
Spontaneous cerebrospinal fluid rhinorrhoea—N. R. Bleach, P. A. Stanworth and J. M. Stansbie. *Clin. Rec.*, 633
Spontaneous passage of a submandibular salivary calculus in a child—S. S. Walsh and W. G. Robson. *Clin. Rec.*, 1052
Spontaneous perforation of the cervical oesophagus—J. J. Phillips. *Clin. Rec.*, 69
Spontaneous perforation of the pharynx/oesophagus—M. Wake, K. Pearman and J. B. Campbell. *Clin. Rec.*, 549
Squamous carcinoma arising within a Warthin's tumour of the parotid gland—G. A. J. Morrison and H. J. Shaw. *Clin. Rec.*, 1189
Squamous carcinoma of the sphenoid sinus in association with inverted papillomatosis—J. H. Dempster and K. Mackenzie. *Clin. Rec.*, 938
Stage I Hodgkin's disease of the nasopharynx—F. Daniel, F. S. M. Mancero, J. G. Conrad and C. J. Tyrrell. *Clin. Rec.*, 1179
Staging in the treatment of maxillary carcinoma revisited—F.-C. Liu and M. Strome. *Orig. Art.*, 224
Steroid-responsive hearing loss in temporal arteritis—M. R. Kramer, G. Nesher and M. Sonnenblick. *Clin. Rec.*, 524
Stoma buttons—an unreported hazard—J. H. Dempster and J. A. Roig. *Clin. Rec.*, 556
Study of the nasopharynx in man by scanning electron microscopy—M. Gulisano, G. Polli, G. Biondi and P. Pacini. *Orig. Art.*, 1102
Styloid process in ossicular chain reconstruction, The—S. B. Ogale, C. Desouza, J. Sheode and K. L. Shah. *Orig. Art.*, 136
Sudden bilateral sensorineural hearing loss during treatment with dantrolene sodium (Dantrium)—A. Pace-Balzan and R. T. Ramsden. *Clin. Rec.*, 57
Superior vena cava syndrome: presenting symptoms of silent otitis media—F. Tovi, M. Hirsch and A. Gatot. *Clin. Rec.*, 623
Surface morphology of the endolymphatic sac of the Mongolian gerbil (Meriones unguiculatus), The—M. Barbara, H. Rask-Anderson and D. Bagger-Sjöbäck. *Orig. Art.*, 308
Surgery of cholesteatoma in children—R. Charachon. *Orig. Art.*, 680
Surgery related to histopathology in chronic inflammatory middle-ear disease—T. Palva. *Orig. Art.*, 851
Surgical anatomy for multiple-electrode extracochlear implant operations, The—B. K-H. G. Franz and G. M. Clark. *Orig. Art.*, 685
Surgical salvage for squamous cancer involving the supraglottic larynx—H. J. Shaw. *Orig. Art.*, 704
Swallowed foreign bodies—J. J. Phillipps and P. Patel. *Orig. Art.*, 235
Swallowed radiolucent dental prosthesis—R. P. Youngs, D. Gatland and J. Brookes. *Clin. Rec.*, 71
S-100 protein localization in minor salivary gland tumours: an aid to diagnosis—J. B. Campbell, J. Crocker and P. M. Shenoi. *Orig. Art.*, 905

Teratoma of the mastoid region in a newborn—Y. P. Talmi, R. Sador, F. Dulitzky, Y. Finkelstein and Y. Zohar. *Clin. Rec.*, 1033
The release of histamine from nasal polyp tissue and peripheral blood when challenged with antihuman IgE, house dust mite extract and mixed grass pollen extract and compared with positive skin tests—A. B. Drake-Lee and P. McLoughlan. *Orig. Art.*, 886
Thermal myringotomy—R. W. Ruckley and R. L. Blair. *Orig. Art.*, 125
Thermoplastic splint, The—D. W. Morgan and M. Deadman. *Clin. Rec.*, 724
Thirty years of stapes surgery—J. J. Shea. *Orig. Art.*, 14
Thyroid carcinoma, cataract and hearing loss in a patient after irradiation for facial hemangioma—Y. Talmi, M. Kalmanovitch and Y. Zohar. *Clin. Rec.*, 91
Thyroid cartilage at the suprasternal notch with low situated thyroid gland—S. M. Soliman. *Clin. Rec.*, 476
Tonsillar haemorrhage and measles—D. G. John, P. L. Thomas and D. Semeraro. *Clin. Rec.*, 64
Toothbrush: an unusual foreign body in ENT practice—G. N. Shirali, R. A. Savant, P. K. Uppal and K. B. Bhargava. *Clin. Rec.*, 1068
Topical nasal steroids in non-atopic perennial rhinitis: subjective symptom scores and objective measurement of nasal resistance by active anterior rhinomanometry—N. S. Jones and G. S. Kenyon. *Orig. Art.*, 1095
Total bilateral hearing loss as a complication of myeloma—D. Keay. *Clin. Rec.*, 357
Total laryngotracheal hypoplasia in a case of G syndrome—J. G. Buckley, A. E. Hinton, G. Penter and P. A. Farndon. *Clin. Rec.*, 1056
Tracheostomal reconstruction using a fenestrated deltopectoral skin flap—C. A. East, A. F. Stewart Flemming and M. D. Brough. *Clin. Rec.*, 282
Traumatic perilymphatic fistulae of the lateral semicircular canal—E. Yaniv and P. Traub. *Clin. Rec.*, 521
Treatment of facial haemangioma by percutaneous injections of sodium tetradecyl sulfate, The—Y. Anavi, G. Har-El and S. Mintz. *Clin. Rec.*, 87
Tuberculous mastoiditis—G. Buchanan and E. H. Rainer. *Clin. Rec.*, 440
Tumefactive fibroinflammatory lesion of the head and neck—H. Said, A. Razi Hadi, S. Noor Akmal and S. Lokman. *Clin. Rec.*, 1064
Tumours of the mastoid temporal bone—S. K. De and D. D. Dey. *Orig. Art.*, 582
Tympanic membrane in cross section, The—T. H. J. Lesser and K. R. Williams. *Orig. Art.*, 209

Unique presentation of giant cell arteritis, A—D. A. J. Mills and I. A. Stewart. *Clin. Rec.*, 636
Unusual complication of epistaxis, An—C. A. J. Prescott. *Clin. Rec.*, 176
Unusual foreign body presenting in the nasopharynx, An—B. S. Gendeh and A. G. Gibb. *Clin. Rec.*, 641

Unusual posterior cranial fossa tumour causing hearing loss, An—A. Pace-Balzan, R. T. Ramsden, R. H. Lye and J. P. R. Jenkins. *Clin. Rec.*, 720
Unusual presentations of extramedullary plasmacytoma in the head and neck—J. Waldron and D. B. Mitchell. *Clin. Rec.*, 102
Unusual subcutaneous neck lump, An—F. J. Lannigan, C. J. R. Newbegin and R. M. Terry. *Clin. Rec.*, 385
Upper airway obstruction, sleep disturbance and adeno-tonsillectomy in children—A. C. Swift. *Orig. Art.*, 419
Use of anaesthetic EMLA cream in minor otological surgery, The—B. Bingham and M. Hawthorne. *Clin. Rec.*, 517
Use of bronchoscopic CO_2 laser in palliation of obstruction tracheobronchial malignancy—V. Oswal, L. M. Flood and R. W. Ruckley. *Orig. Art.*, 159
Use of sputum-trap in the collection of antral washout specimen during antroscopy, The—N. S. Violaris and M. Bridger. *Clin. Rec.*, 540
Use of the fibreoptic laryngoscope in pharyngeal pouch surgery—R. P. E. Barton, A. W. Forrest and M. H. Wickham. *Orig. Art.*, 328
Use of Walkman mini-stereo system as a tinnitus masker, The—A. H. H. Al-Jassim. *Orig. Art.*, 27
Uvulopalatopharyngoplasty in a child with obstructive sleep apnoea—M. H. Abdu and J. G. Feghali. *Clin. Rec.*, 546

Value of Politzerization in the treatment of atelectatic ears, The—M. Luntz and J. Sadé. *Orig. Art.*, 779
Vascular leiomyoma of the inferior turbinate—G. S. Hanna, A. B. Akosa and M. H. Ali. *Clin. Rec.*, 1159
Verrucous carcinoma of the larynx: problems of diagnosis and treatment—A. O. Ibekwe and E. Duvall. *Clin. Rec.*, 79
Vidian neurectomy worthwhile?, Is—S. B. Ogale, A. Shah, S. C. Rao and K. L. Shah. *Clin. Rec.*, 62
Vocal cord paralysis as a presenting sign in the Shy-Drager syndrome—G. Martinovits, G. Leventon, Y. Goldhammer and M. Sadeh. *Clin. Rec.*, 280

Wax plugs and cotton buds—D. W. Sim. *Orig. Art.*, 575
Weight gain in children following tonsillectomy—G. S. Barr and J. Osborne. *Orig. Art.*, 595
Why you should have a hearing therapist—C. Wood and I. Miettinen. *Orig. Art.*, 142
Wound healing following partial glossectomy using the CO_2 laser, diathermy and scalpel—M. K. Basu, J. W. Frame and P. H. Rhys Evans. *Orig. Art.*, 322

Young's syndrome—L. A. Smallman, J. Oates and D. W. Proops. *Clin. Rec.*, 460